

# POSTERS


<b>P1</b>		<b>Saturday 22 may - 16:15-17:30</b>	
		Set-up: Saturday 22 from 11:00 Display timeframe: Saturday and Sunday Dismantling: Sunday 19:00 at the latest	
		Board	Page
P1.1	Menstrual disorders	1 to 12	2
P1.2	Public Health	13 to 48	3
P1.3	Ovary	49 to 66	5
P1.4	Contraception	67 to 74	7
P1.5	Mammary gland	75 to 82	7
P1.6	Sexually transmitted infections	83 to 101	8
P1.7	MRKH	102 to 108	9

<b>P2</b>		<b>Monday 24 may - 16:30-17:15</b>	
		Set-up: Monday 23 from 07:30 Display timeframe: Monday and Tuesday Dismantling: Tuesday 13:00 at the latest	
		Board	Page
P2.1	DSD	1 to 31	11
P2.2	Puberty and Endocrine disorders	32 to 66	13
P2.3	Surgery	67 to 93	16
P2.4	Gestation	94 to 107	18

Poster are organized in one area at level 0.

During the two poster sessions poster presenters are attending their poster so that delegates can discuss it, ask questions, get more information.

Session of display and reference number have been notified in the confirmation e-mail. Each poster owns a poster code, to be located in the poster area, and to find the abstracts in the abstract book.



Poster dimensions: 120 cm heights x 90 cm width

Poster presenters are requested to proceed to the Congress secretariat first, located in the Welcome area, where they will be given hanging material.

The organizing committee will not be responsible for any material lost or damaged if they are not promptly removed.

Saturday 22 May  
P1. 16:15-17:30

## P1.1 Menstrual disorders

### P1.1-1 Membranous dysmenorrhea under cyproterone acetate in a 14-year-old girl

B. Mignot<sup>1</sup>, C. Ballot<sup>1</sup>, V. Negre<sup>1</sup>, P. Rohrllich<sup>1</sup>, A. Bertrand<sup>\*1</sup>

<sup>1</sup>Pédiatrie, CHU Saint Jacques, Besancon, France

### P1.1-2 Current practice of the management of menorrhagia in adolescents with inherited bleeding disorders

M. Bidet<sup>\*1</sup>, C. Duflos-Cohade<sup>2</sup>, E. Thibaud<sup>1</sup>, M. Polak<sup>1</sup>, . the French Reference Centers for Inherited Bleeding Disorder<sup>3</sup>

<sup>1</sup>Pediatric Endocrinology and Gynaecology, Centre de Pathologies Rares Gynecologiques, Necker-Enfants Malades Hospital, <sup>2</sup>Pediatric Endocrinology and Gynaecology, Centre de Pathologies Rares Gynecologiques, Necker-Enfants Malade Hospital, Pitie Salpetriere Hospital, Hotel Dieu Hospital, <sup>3</sup>, Paris, France

### P1.1-3 Presenting features and diagnosis of adolescents with menstrual disorders in a pediatric and adolescent gynecology clinic

S. Chan<sup>\*1</sup>, J.P.W. Chung<sup>1</sup>, A.K.W. Yiu<sup>1</sup>, A.W.L. Pang<sup>1</sup>

<sup>1</sup>Obstetrics and Gynaecology, Prince of Wales Hospital, The Chinese University of Hong Kong, Shatin, Hong Kong Special Administrative Region of China

### P1.1-4 Menstrual disorders: when does the physiological finish and the pathological begin?

M. Corcuera<sup>\*1</sup>, A. A. R. P. Ruiz<sup>2</sup>, L. L. F. Falcon<sup>2</sup>

<sup>1</sup>Obstetrics and gynecology, Medical center Luz Y Vida, <sup>2</sup>Obstetrics and gynecology, Medical center "Luz y Vida", Vecindario, Spain

### P1.1-5 Menstrual cycle disorders in pediatric and adolescent gynecology

A. Drosdzol<sup>\*1</sup>, V. Skrzypulec<sup>1</sup>

<sup>1</sup>Faculty of Woman's Health, Medical University of Silesia, Katowice, Poland

### P1.1-6 Dysfunctional uterine bleeding in adolescent girls – treatment of the estradiol valerate/dienogest combined oral contraceptive

V. Skrzypulec<sup>1</sup>, A. Drosdzol<sup>\*1</sup>

<sup>1</sup>Faculty of Woman's Health, Medical University of Silesia, Katowice, Poland

### P1.1-7 Treatment of adolescent dysmenorrhea by a new inhibitor of mast cells - induced inflammation (palmitoiletanolamide + trans polidatina)

A. Fulghesu<sup>\*1</sup>, R. Magnini<sup>1</sup>, S. Mazella<sup>1</sup>, A. Cappai<sup>1</sup>, A. Orru<sup>1</sup>, M. Pisu<sup>1</sup>

<sup>1</sup>Department of Obstetrics and Gynecology, University of Cagliari, san giovanni di dio, cagliari, Italy

### P1.1-8 Oligomenorrhea in adolescence – a preliminary study

S. Kedikova<sup>\*1</sup>, M. M. S. Sirakov, M. M. B. Boyadzieva<sup>3</sup>, E. E. P. Pavlova<sup>1</sup>

<sup>1</sup>Medical University Sofia, University Hospital Maichin Dom, Sofia, Bulgaria, <sup>3</sup>Medical University Sofia, Clinical Center of Endocrinology, Sofia, Bulgaria

### P1.1-9 Hospitalization of Brazilian girls from 0 to 19 years old due to endometriosis registered by the sus (unique system of health), from January 2000 to December 2009.

M. Mieli<sup>\*1</sup>, M. P. A. Mieli<sup>1</sup>, M. Nogueira<sup>2</sup>, O. Fugita<sup>2</sup>, U. Tannuri<sup>3</sup>, E. C. Baracat<sup>1</sup>

<sup>1</sup>Ginecologia, <sup>2</sup>Cirurgia, Hospital Universitário da Universidade de São Paulo, <sup>3</sup>Cirurgia Infantil, Instituto da Criança do Hospital das Clínicas da Faculdade de Medicina da Universidade de São Paulo, São Paulo, Brazil

### P1.1-10 Low prolactine levels as a cause of menstrual cycle disorders in adolescents.

Z. Niznanska<sup>\*1</sup>, M. Korbel<sup>1</sup>, M. Redecha<sup>1</sup>, L. Kostalova<sup>2</sup>, Z. Pribylincova<sup>2</sup>, J. Hrachova<sup>3</sup>

<sup>1</sup>Ist Department of Obstetric and Gynecology, Comenius University, University Hospital, <sup>2</sup>IInd Pediatric Department, Children University hospital, <sup>3</sup>Pediatric Department, Slovak Health University, Bratislava, Slovakia

### P1.1-11 Health related quality of life in young women with menstrual problems

A. Nur Azurah<sup>\*1</sup>, L. Sancu<sup>2</sup>, E. Moore<sup>3</sup>, S. Grover<sup>4</sup>

<sup>1</sup>Department of Gynaecology, UKM Medical Centre, Kuala Lumpur, Malaysia, <sup>2</sup>Department of Family Medicine, University of Melbourne, <sup>3</sup>Murdoch Children's Research Institute, <sup>4</sup>Department of Gynaecology, Royal Children's Hospital, Melbourne, Australia

### P1.1-12 Juvenile menorrhagia as a case of serious complication of chronic autoimmune thrombocytopenia

A. Polová<sup>\*1</sup>, H. Geržová<sup>2</sup>, M. Petzel<sup>2</sup>

<sup>1</sup>Department of obstetrics and gynaecology, <sup>2</sup> Department of obstetrics and gynaecology, University Hospital Ostrava, Ostrava, Czech Republic

## P1.2 Public Health

### **P1.2-13 Developing the first pediatric and adolescent gynaecology unit in Malaysia**

A. Amelia Zainuddin<sup>1</sup>, N. Azurah Abdul Ghani<sup>1</sup>, S. R. Grover<sup>2</sup>, Z. A. Mahdy<sup>1</sup>, N. Mawaddah<sup>1</sup>, S. Ishak<sup>1</sup>, H. Hamzah<sup>1</sup>, M. Kamaruddin<sup>1</sup>, Z. Ismail<sup>1</sup>

<sup>1</sup>Department of Obstetrics and Gynaecology, University Kebangsaan Malaysia Medical Center, Kuala Lumpur, Malaysia,

<sup>2</sup>Department of Paediatric and Adolescent Gynaecology, University of Melbourne, Royal Children's Hospital, Melbourne, Australia

### **P1.2-14 Sexual and reproductive health of chronically ill adolescents in a tertiary adolescent unit**

F. Bacopoulou<sup>1</sup>, E. A. Gounari<sup>1</sup>, E. Deligeoroglou<sup>2</sup>, C. Bakoula<sup>1</sup>, G. Chrousos<sup>1</sup>

<sup>1</sup>Center for Health and Prevention in Adolescence 1st Department of Pediatrics University of Athens, Aghia Sophia Childrens Hospital, <sup>2</sup>Division of Pediatric and Adolescent Gynecology 2nd Department of Obstetrics and Gynecology, University of Athens Aretaieion Hospital, Athens, Greece

### **P1.2-15 Referral patterns to a new pediatric and adolescent gynaecology service in the northwest of England -a review of the first year**

G. Busby<sup>1</sup>

<sup>1</sup>Department of Gynaecology, St. Mary's Hospital, Manchester, United Kingdom

### **P1.2-16 A new model of sexual education for adolescents and young people of sumaré-sp-Brazil.**

C. Carvalho<sup>1</sup>, P. Varanda<sup>2</sup>, S. Cadogan<sup>2</sup>, K. Serraneto<sup>3</sup>, R. Santos<sup>3</sup>

<sup>1</sup>Secretaria Municipal de Saúde and Curso de Psicologia, Prefeitura Municipal de Sumaré and FAM, Campinas,

<sup>2</sup>Secretaria Municipal de Saúde, Prefeitura Municipal de Sumaré, <sup>3</sup>Diretoria de Ensino- Região Sumaré, Secretaria de Estado de Educação-SP, Sumaré, Brazil

### **P1.2-17 Peace promotion vision among professionals working with adolescents**

S. D. T. A. Moraes<sup>1</sup>, A. D. Takiuti<sup>1</sup>, E. M. V. Melo<sup>1</sup>, A. C. Leal<sup>1</sup>, C. F. S. Portella<sup>1</sup>, I. Julien<sup>1</sup>, J. M. S. Kerr<sup>1</sup>, L. S. Fernandes<sup>1</sup>, H. D. Marques<sup>1</sup>, M. M. Giampietro<sup>1</sup>, E. M. Moraes<sup>1</sup>

<sup>1</sup>Adolescent Gynecology, Adolescent Program of the State of Sao Paulo, Sao Paulo, Brazil

### **P1.2-18 Profile of adolescent parents and their children at the adolescent's health program of São Paulo - Brazil**

A. D. Takiuti<sup>1</sup>, J. M. S. Kerr<sup>1</sup>, F. Calvo<sup>1</sup>, M. L. Cominotti<sup>1</sup>, R. P. M. Hermida<sup>1</sup>, R. R. Poço<sup>1</sup>, L. Pinheiro<sup>1</sup>, C. Abduch<sup>1</sup>, S. D. T. A. Moraes<sup>1</sup>

<sup>1</sup>Adolescent Gynecology, Adolescent Program of the State of Sao Paulo, Sao Paulo, Brazil

### **P1.2-19 Separated parents: what do their children think of it?**

S. D. T. A. Moraes<sup>1</sup>, E. M. Moraes<sup>1</sup>, E. M. V. Melo<sup>1</sup>, A. C. Leal<sup>1</sup>, P. Favero<sup>1</sup>, M. Napolitano<sup>1</sup>, M. R. M. Paoletti<sup>1</sup>, M. M. Giampetro<sup>1</sup>, E. N. Santos<sup>1</sup>, A. D. Takiuti<sup>1</sup>

<sup>1</sup>Adolescent Gynecology, Adolescent Program of the State of Sao Paulo, Sao Paulo, Brazil

### **P1.2-20 Medicinal and aromatic garden – a space for learning and reflection for the teenager**

E. A. Pereira<sup>1</sup>, C. F. S. Portella<sup>1</sup>, B. Rei<sup>1</sup>, M. Napolitano<sup>1</sup>, P. Favero<sup>1</sup>, P. Pedullo<sup>1</sup>, A. C. Rochael<sup>1</sup>, M. Godoy<sup>1</sup>, S. D. T. A. Moraes<sup>1</sup>, A. D. Takiuti<sup>1</sup>

<sup>1</sup>Adolescent Gynecology, Adolescent Program of the State of Sao Paulo, Sao Paulo, Brazil

### **P1.2-21 Naturology - a new proposal into the adolescent's health program of the state of São Paulo - Brazil**

C. F. S. Portella<sup>1</sup>, E. A. Pereira<sup>1</sup>, B. Rei<sup>1</sup>, M. Napolitano<sup>1</sup>, P. Favero<sup>1</sup>, P. Pedullo<sup>1</sup>, A. D. Takiuti<sup>1</sup>, S. D. T. A. Moraes<sup>1</sup>

<sup>1</sup>Adolescent Gynecology, Adolescent Program of the State of Sao Paulo, Sao Paulo, Brazil

### **P1.2-22 Social violence in São Paulo – how do adolescents feel?**

S. D. T. A. Moraes<sup>1</sup>, E. M. Moraes<sup>1</sup>, A. P. A. Rosa<sup>2</sup>, P. R. Moraes Rosa<sup>2</sup>, M. A. Moraes Rosa<sup>2</sup>, J. M. S. Kerr<sup>1</sup>, M. M. Giampetro<sup>1</sup>, A. C. Leal<sup>2</sup>, M. I. J. Halak<sup>1</sup>, A. D. Takiuti<sup>1</sup>

<sup>1</sup>Adolescent Gynecology, Adolescent Program of the State of Sao Paulo, <sup>2</sup>Adolescent Gynecology, Department of Studies on Violence and Humanization of Health Attention, Sao Paulo, Brazil

### **P1.2-23 The shelter makes the difference in the ready psychological attendance.**

S. D. T. A. Moraes<sup>1</sup>, L. Pinheiro<sup>1</sup>, A. D. Takiuti<sup>1</sup>, R. R. Morais<sup>1</sup>, A. Ruiz<sup>1</sup>, F. Saraiva<sup>1</sup>, M. C. Mitzutori<sup>1</sup>, E. M. Moraes<sup>1</sup>

<sup>1</sup>Adolescent Gynecology, Adolescent Program of the State of Sao Paulo, Sao Paulo, Brazil

### **P1.2-24 Demands of Brazilian adolescents in São Paulo on the reproductive health and sexually transmitted diseases.**

S. D. T. A. Moraes<sup>1</sup>, J. T. Montalto<sup>1</sup>, R. M. E. Rodrigues<sup>1</sup>, G. C. Silva<sup>1</sup>, C. M. P. Bandos<sup>1</sup>, M. M. Zeitune<sup>1</sup>, A. C. Leal<sup>1</sup>, A. C. Rochael<sup>1</sup>, A. D. Takiuti<sup>1</sup>, C. R. Carmo<sup>1</sup>, W. J. Silva<sup>1</sup>, F. Antonio<sup>1</sup>, R. P. M. Hermida\*<sup>1</sup>

<sup>1</sup>Adolescent Gynecology, Adolescent Program of the State of Sao Paulo, Sao Paulo, Brazil

**P1.2-25 Channels of communication and sexual health needs among Italian teenagers**

M. Dei\*<sup>1</sup>, F. Di Maggio<sup>2</sup>, G. Di Paolo<sup>3</sup>, A. Fulghesu<sup>4</sup>, V. Bruni<sup>5</sup>, S. Cipriani<sup>6</sup>, F. Parazzini<sup>7</sup>

<sup>1</sup>Health of Women and Child, University of Florence, Firenze, <sup>2</sup>Adolescent health Services, University of Florence, Napoli,

<sup>3</sup>PAG Unit, University of Florence, Teramo, <sup>4</sup>Adolescent Unit, University of Cagliari, Cagliari, <sup>5</sup>PAG Unit, University of Florence, Firenze, <sup>6</sup>Pharmacological Research Institute, <sup>7</sup>Pharmacological Research Institute, Mario Negri, Milano, Italy

**P1.2-26 Research on sexual conduct among adolescents and young people.**

A. Tablado\*<sup>1</sup>, A. Giurgiovič<sup>1</sup>, M. Labovsky<sup>1</sup>, S. Oizerovich<sup>1</sup>, A. Gryner<sup>1</sup>

<sup>1</sup>Gynecology, Hospital de Clinicas Jose de San Martin, Buenos Aires, Argentina

**P1.2-27 The sexual initiation in the adolescents. its circumstances**

G. Kosoy\*<sup>1</sup>, L. N. Katabian<sup>1</sup>, D. Daldevich<sup>1</sup>, P. Riopedre<sup>1</sup>, A. Martinez<sup>1</sup>, C. V. Lopez Kaufman<sup>1</sup>

<sup>1</sup>Section Adolescence Team., Hospital Rivadavia, Buenos Aires, Argentina

**P1.2-28 Vulvar ulcerative lesions in two prepubertal girls: diagnosis of vulvar lichen sclerosus versus sexual abuse.**

B. Lebon Labich\*<sup>1</sup>, A. Ranke<sup>2</sup>, J. Lemelle<sup>2</sup>, B. Leheup<sup>1</sup>, M. Schmitt<sup>2</sup>

<sup>1</sup>Medecine Infantile 3, <sup>2</sup>Service de Chirurgie Viscerale Infantile, Hopital d'Enfants CHU de Nancy, Vandoeuvre les nancy, France

**P1.2-29 Emdr use protocol for acute stress reduction in a 4 year child victim of sexual abuse.**

S. MAGIRENA\*<sup>1</sup>, A. A. Schnaith<sup>2</sup>

<sup>1</sup>Ginecologia Pediatrica, <sup>2</sup>Hospital, Emdria LatinoAmerica, Buenos Aires, Argentina

**P1.2-30 Risk behaviour and sexual behaviour among young girls in Belgrade**

I. Mazibrada\*<sup>1</sup>, M. Mazibrada<sup>2</sup>, K. Sedlecki<sup>1</sup>, S. Perovic<sup>1</sup>, Z. Stankovic<sup>1</sup>

<sup>1</sup>Department of Pediatric and Adolescent Gynecology, Mother and Child Health Care Institute of the Republic of Serbia,

<sup>2</sup>Zemun, Municipal Institute for Lung Disease and Tuberculosis, Belgrade, Serbia

**P1.2-31 Genital trauma in childhood and adolescence. What to do?**

M. Mieli\*<sup>1</sup>, M. P. A. Mieli<sup>1</sup>, R. F. C. Rocha<sup>2</sup>, U. Tannuri<sup>3</sup>, E. C. Baracat<sup>1</sup>

<sup>1</sup>Ginecologia, <sup>2</sup>Cirurgia, Hospital Universitário da Universidade de São Paulo, <sup>3</sup>Instituto da Criança, Hospital das Clínicas da Universidade de São Paulo, São Paulo, Brazil

**P1.2-32 Hospitalization of Brazilians girls from 0 to 19 years old due to maltreatment syndromes registered by the sus (unique system of health), from January 2000 to December 2009.**

M. Mieli\*<sup>1</sup>, M. P. A. Mieli<sup>1</sup>, N. M. Igarashi<sup>2</sup>, F. S. Moura<sup>2</sup>, M. B. T. Piotto<sup>2</sup>, E. C. Baracat<sup>1</sup>

<sup>1</sup>Ginecologia, <sup>2</sup>Serviço Social, Hospital Universitário da Universidade de São Paulo, São Paulo, Brazil

**P1.2-33 Some articles from the child and adolescent constitution in brazil (lei n. 8069 de 13-07-1990).**

M. Mieli\*<sup>1</sup>, M. P. A. Mieli<sup>1</sup>, S. G. Souza<sup>2</sup>, E. C. Baracat<sup>1</sup>

<sup>1</sup>Ginecologia, <sup>2</sup>Ouvidoria, Hospital Universitário da Universidade de São Paulo, São Paulo, Brazil

**P1.2-34 Child sexual abuse and shigella vulvovaginal infection**

T. Motta\*<sup>1</sup>, C. Scagnelli<sup>1</sup>, M. Ruspa<sup>2</sup>

<sup>1</sup>First Department of Obstetrics and Gynecology - University of Milan, <sup>2</sup>S.V.S., Fondazione IRCCS Cà Granda Ospedale Maggiore Policlinico, Milan, Italy

**P1.2-35 Adolescent's and youngster's lgbtt sexuality profile in the gay pride parade in Sao Paulo 2009**

A. Ciampolini Leal<sup>1</sup>, R. Pessoa de Mejo Hermida\*<sup>1</sup>, S. Teixeira Araujo Moraes<sup>1</sup>, A. Duarte Takiuti<sup>1</sup>, E. Mendes Moraes<sup>1</sup>, E. Batista Costa<sup>1</sup>

<sup>1</sup>Adolescent Health Program of State of São Paulo - Brazil, State of Sao Paulos Secretary of Health, Sao Paulo, Brazil

**P1.2-36 Comparison of distance demand of adolescents years 2008 and 2009 – hello! dial teen!**

A. Duarte Takiuti<sup>1</sup>, J. Shikanai Kerr<sup>1</sup>, C. Ashkenazi<sup>1</sup>, M. M. Paolletti<sup>1</sup>, A. Rochael<sup>1</sup>, R. Pessoa de Melo Hermida\*<sup>1</sup>

<sup>1</sup>Adolescent Health Program of State, Sao Paulo's secretary of Health, Sao Paulo, Brazil

**P1.2-37 Adolescent's health state program of Sao Paulo – Brazil promoting health nutrition effective**

A. Rochael<sup>1</sup>, M. Godoy<sup>1</sup>, M. Rochael<sup>1</sup>, A. Duarte Takiuti<sup>1</sup>, S. Teixeira Araujo Moraes<sup>1</sup>, R. Pessoa de Melo Hermida\*<sup>1</sup>, E. Matias Vieira de Melo<sup>1</sup>

<sup>1</sup>Adolescent Health Program of State Sao Paulo's secretary of Health, Sao Paulo, Brazil

**P1.2-38 Analysis of sexual behaviour peculiarities of adolescent girls of Iviv region**

V. Pyrohova\*<sup>1</sup>, O. Tsjolko<sup>2</sup>

<sup>1</sup>Obstetrics, gynecology and perinatology, Lviv National Medical University, Lviv, Ukraine,

**P1.2-39 Emotional reactions to seeing porn among adolescent girls**

T. Rinkinen<sup>1</sup>, D. Apter\*<sup>1</sup>, M. Halonen<sup>1</sup>, A. Miettinen<sup>2</sup>

<sup>1</sup>Sexual Health Clinic, <sup>2</sup>The Population Research Institute, Family Federation of Finland, Helsinki, Finland

**P1.2-40 Prevalence alcohol consumption and risk factors in pregnant adolescents. San Felipe hospital. February 2009-February 2010**

N. Rodríguez\*<sup>1</sup>, E. Rivas<sup>1</sup>, N. Queipo<sup>1</sup>, R. Gonzalez<sup>1</sup>, M. Pérez<sup>1</sup>, A. Nieto<sup>1</sup>

<sup>1</sup>Pediatric an adolescent gynecology, Children Hospital José Manuel de los Ríos, Caracas, Venezuela

**P1.2-41 The life project in pregnant adolescents in the plácido Daniel Rodríguez rivero. San Felipe. February 2009-February 2010**

N. Rodríguez\*<sup>1</sup>, N. Queipo<sup>2</sup>, E. Rivas<sup>2</sup>, R. González<sup>2</sup>, A. Caraballo<sup>2</sup>, F. Carrero<sup>2</sup>

<sup>1</sup>Pediatric an adolescent gynecology, Children Hospital José Manuel de los Ríos, <sup>2</sup>Pediatric an adolescent gynecology, Children Hospital Jos, Caracas, Venezuela

**P1.2-42 Factors influencing the formation of the sexual culture of teenagers in Ukraine**

I. Gorpynchenko<sup>1</sup>, O. Romashchenko\*<sup>1</sup>, L. Imshynetskaya<sup>1</sup>, M. Sokolova<sup>1</sup>, S. Melnykov<sup>1</sup>, K. Nurymanov<sup>1</sup>

<sup>1</sup>Andrology and Sexology, SI Institute of Urology of the NAMS of Ukraine, Kyiv, Ukraine

**P1.2-43 “an evaluation model for suspicion of sexual abuse in young girls attended at a pediatric gynecology department.”**

P. Romero\*<sup>1</sup>, M. Muñoz<sup>1</sup>, L. Germain<sup>2</sup>, V. Quintanilla<sup>2</sup>, S. Vergara<sup>2</sup>, A. Ruiz<sup>2</sup>, F. Leon<sup>2</sup>, K. García<sup>2</sup>, L. Espinoza<sup>2</sup>

<sup>1</sup>Pediatrics, Luis Calvo Mackenna, <sup>2</sup>Private office, Fundación PREVIF, Santiago, Chile

**P1.2-44 Consulting motives and diagnostics in pediatric and adolescent gynecology at the adolescent comprehensive care unit of clinical alemana de Santiago, Chile, between January 2007 and July 2009**

A. Schilling\*<sup>1</sup>, F. Gonzalez<sup>2</sup>, C. Lizama<sup>2</sup>, Y. Markiewitz<sup>2</sup>, P. Martínez<sup>2</sup>, S. Ramirez<sup>2</sup>, F. Villalon<sup>2</sup>

<sup>1</sup>Adolescent Comprehensive Care Unit, Clínica Alemana, <sup>2</sup>Facultad de Medicina Clínica Alemana, Universidad del Desarrollo, Santiago, Chile

**P1.2-45 Psychosomatic disorders in adolescence of interest to the pediatric gynecologist**

E. Stergioti<sup>1</sup>, K. D. Dimopoulos\*<sup>1</sup>, F. Bacopoulou<sup>2</sup>, P. Tsimaris<sup>1</sup>, N. Athanasopoulos<sup>1</sup>, E. Deligeoroglou<sup>1</sup>

<sup>1</sup>2nd Department of Obstetrics and Gynecology, University of Athens, Aretaieion University Hospital, <sup>2</sup>First Department of Paediatrics, Athens University, Aghia Sophia Children's Hospital, Athens, Greece

**P1.2-46 The pediatric and adolescent labor nicu referrals**

C. Tsompos\*<sup>1</sup>

<sup>1</sup>Obstetrics, Mesologi County Hospital, Mesologi, Greece

**P1.2-47 Risk factors associated with the onset of early sexual activity at adolescent gynecology service, Costa Rican hospital.**

A. Zamora\*<sup>1</sup>, R. Peralta<sup>2</sup>, M. Leal<sup>2</sup>, M. Wright<sup>2</sup>, A. Bullio<sup>2</sup>

<sup>1</sup>Obstetrics and Gynecology, Hospital San Juan de Dios, <sup>2</sup>Obstetrics and Gynecology, Hospital Calderon Guardia, San José, Costa Rica

**P1.2-48 Unrecalled rape under unproven ghb abuse –is it a rape?**

R. Zangen\*<sup>1</sup>, G. Barda<sup>1</sup>, A. Golan<sup>1</sup>

<sup>1</sup>Obstetrics and Gynecology, Edith Wolfson Medical Center, Holon, Israel

## P1.3 Ovary

**P1.3-49 Ovarian cysts in adolescence: evaluation and therapy of 77 cases in the last two years**

N. Athanasopoulos\*<sup>1</sup>, P. Tsimaris<sup>1</sup>, K. D. Dimopoulos<sup>1</sup>, E. Stergioti<sup>1</sup>, E. Deligeoroglou<sup>1</sup>, G. Creatsas<sup>1</sup>

<sup>1</sup>Division of Pediatric-Adolescent Gynecology and Reconstructive Surgery, 2nd Department of Obstetrics and Gynecology, Athens University, Medical School, Aretaieion Hospital, Athens, Greece

**P1.3-50 Has the preservation of the ovarian function any correlation with the early diagnosis of cystic teratoma?**

C. Athayde\*<sup>1</sup>, F. T. Vianna<sup>1</sup>, M. M. T. Bejarano<sup>1</sup>, R. B. Lasmar<sup>1</sup>

<sup>1</sup>Materno-Infantil, Hospital Universitário Antonio Pedro, Niterói, Brazil

**P1.3-51 The ovarian cystadenoma: a rare cancer in pediatric age. Our experience.**

A. Franchella\*<sup>1</sup>, M. Michelini<sup>1</sup>, C. Bleve<sup>1</sup>, M. Conighi<sup>1</sup>, R. Tanas<sup>2</sup>, V. De Sanctis<sup>2</sup>

<sup>1</sup>Pediatric Surgery, <sup>2</sup>Pediatrics, University Hospital of Ferrara, Ferrara, Italy

**P1.3-52 Pgd2 signaling through expression of h-pgd2 is required for differentiation of granulosa cells and steroidogenesis in adult ovary**

A. Farhat\*<sup>1</sup>, P. Philibert<sup>1</sup>, N. Kalfa<sup>2</sup>, F. Bibeau<sup>3</sup>, C. Sultan<sup>2</sup>, F. Poulat<sup>1</sup>, B. Boizet-Bonhoure<sup>1</sup>

<sup>1</sup>Institut de Génétique Humaine, CNRS UPR1142, <sup>2</sup>Service d'Endocrinologie, Hôpital Lapeyronie, CHU, <sup>3</sup>Laboratory of Anatomical Pathology, Centre Regional de Lutte contre le Cancer CRLC Val d'Aurelle-Paul Lamarque, Montpellier cedex 5, France

**P1.3-53 Ovarian tumors in infant and adolescents: a multidisciplinary perspective**

O. Carrasco\*<sup>1</sup>, F. Saitua<sup>2</sup>

<sup>1</sup>Obstetrics and Gynecology. Gynecologist Adolescent Unit, <sup>2</sup>Pediatric Surgery Unit, Clínica Alemana, Santiago, Chile

**P1.3-54 Syndrome of Turner: about 19 case**

H. El Arabi\*<sup>1</sup>, A. A. Essouiba<sup>1</sup>, S. S. Mouadden El Alami<sup>1</sup>, F. F. Jennane<sup>1</sup>, F. F. Dehbi<sup>1</sup>

<sup>1</sup>pediatric endocrinology and gynecology unit, Hôpital d'enfants Chu Ibn Rochd, Casablanca, Morocco

**P1.3-55 What we do not expect in presence of abdominopelvic tumour**

M. Fidalgo\*<sup>1</sup>, C. C. S. Scliar<sup>2</sup>, N. N. G. González<sup>3</sup>, D. D. N. Navacchia<sup>4</sup>, G. G. O. Ojea<sup>5</sup>, M. M. Z. Zerba<sup>6</sup>

<sup>1</sup>Ginecología Infanto Juvenil, <sup>2</sup>Sección Adolescencia, <sup>3</sup>División Tisiopneumología, <sup>4</sup>Antomía Patológica, <sup>5</sup>Bacteriología, <sup>6</sup>Diagnóstico por imágenes, Hosp. Gral. de Pediatría Dr. Pedro de Elizalde, Buenos Aires, Argentina

**P1.3-56 Bilateral multicystic ovarian masses due to extra ovarian pathologies.**

M. Gryngarten\*<sup>1</sup>, D. Braslavsky<sup>1</sup>, M. G. Ballerini<sup>1</sup>, M. G. Ropelato<sup>1</sup>, M. E. Escobar<sup>1</sup>, I. Bergadá<sup>1</sup>

<sup>1</sup>Endocrinology Division, Ricardo Gutiérrez, Buenos Aires, Argentina

**P1.3-57 Turner's syndrome in adulthood**

M. m. Elleuch\*<sup>1</sup>, M. Kamoun<sup>1</sup>, M. m. Feki<sup>1</sup>, N. n. Rekik<sup>1</sup>, F. f. Mnif<sup>1</sup>, N. n. Charfi<sup>1</sup>, H. Sellami<sup>2</sup>, T. t. h. Kammoun<sup>3</sup>, T. t. Sfar<sup>4</sup>, M. m. Hachicha<sup>5</sup>, M. m. Abid<sup>1</sup>

<sup>1</sup>endocrinology, hedi chaker, sfax, Tunisia, <sup>2</sup>, <sup>3</sup>endocrinology, hedi chaker, <sup>4</sup>pediatry, taher sfar hospital, mahdia, <sup>5</sup>pediatry, hedi chaker, sfax, Tunisia

**P1.3-58 Familial Turner's syndrome**

M. Feki Mnif\*<sup>1</sup>, M. Elleuch<sup>1</sup>, M. Kamoun<sup>1</sup>, N. Belguith<sup>2</sup>, N. Charfi<sup>3</sup>, H. Sellami<sup>3</sup>, T. Kammoun<sup>4</sup>, R. Ben Othmen<sup>3</sup>, H. Kammoun<sup>2</sup>, M. Hachicha<sup>4</sup>, M. Abid<sup>3</sup>

<sup>1</sup>endocrinology, hedi chaker, <sup>2</sup>genetic, faculty of medicine, <sup>3</sup>endocrinology, <sup>4</sup>pediatric department, hedi chaker hospital, sfax, Tunisia

**P1.3-59 A case of adenomyotic cyst developed in an adolescent girl**

A. Kawano\*<sup>1</sup>, H. Sakakibara<sup>1</sup>, T. Nagata<sup>1</sup>, F. Hirahara<sup>1</sup>

<sup>1</sup>Obstetrics and Gynecology, Yokohama City University, School of Medicine, Yokohama, Japan

**P1.3-60 Ovarian cysts in girls from 1 to 9 years old**

A. Lacoste\*<sup>1</sup>, P. Vazquez<sup>2</sup>, G. Audry<sup>2</sup>, M. Houang<sup>3</sup>

<sup>1</sup>Explorations fonctionnelles endocriniennes, Hôpital Trousseau, <sup>2</sup>Chirurgie viscérale pédiatrique, <sup>3</sup>Explorations fonctionnelles endocriniennes, Trousseau, Paris, France

**P1.3-61 anti-müllerian hormone: role in the post-natal follow-up of fetal ovarian cysts**

M. Menéndez\*<sup>1</sup>, C. Pienkowski<sup>2</sup>, A. Cartault<sup>2</sup>, P. Vaysse<sup>3</sup>

<sup>1</sup>Pediatric Gynecology, Pontificia Universidad Católica de Chile, Santiago, Chile, <sup>2</sup>Pediatric endocrinology, <sup>3</sup>Pediatric surgery, Hôpital des Enfants, Toulouse, France

**P1.3-62 Massive edema of multicystic ovary in adolescent age**

C. Orazi\*<sup>1</sup>, G. Ciprandi<sup>2</sup>, P. Marchetti<sup>2</sup>, M. Lucchetti<sup>2</sup>, R. Boldrini<sup>3</sup>, M. Rivosecchi<sup>2</sup>

<sup>1</sup>Imaging Department, <sup>2</sup>Pediatric Surgery, <sup>3</sup>Histopathology, Bambino Gesù Children Hospital, Rome, Italy

**P1.3-63 Clinical data of 45 adolescents with Turner syndrome (ts) at the end of growth**

A. Cartault\*<sup>1</sup>, M. Menendez<sup>2</sup>, V. Brondy<sup>3</sup>, I. Oliver<sup>4</sup>, B. Jouret<sup>4</sup>, C. Pienkowski<sup>1</sup>, M. Tauber<sup>4</sup>

<sup>1</sup>Endocrinology Unity, Hôpital des Enfants, Toulouse, France, <sup>2</sup>Endocrinology Unity, Pédiatrie, Santiago del Chili, Chile, <sup>3</sup>Biology, Hôpital des Enfants, Parana, Argentina, <sup>4</sup>Biology, Hôpital des Enfants, Toulouse, France

**P1.3-64 Ovarian function in adolescents with mc-cune-albright syndrome**

K. Sotomayor\*<sup>1</sup>, G. Iniguez<sup>1</sup>, F. Ugarte<sup>2</sup>, C. Villarroel<sup>1</sup>, P. López<sup>1</sup>, A. Avila<sup>1</sup>, E. Codner<sup>1</sup>, F. Cassorla<sup>1</sup>

<sup>1</sup>Institute of Maternal and Child Research, University of Chile, Hospital San Borja Arriaran, <sup>2</sup>Pediatric Endocrinology Unit, Hospital Exequiel Gonzalez Cortes, Santiago, Chile

**P1.3-65 Ultrasonographic detection of normal ovarian tissue in the differential diagnosis of adnexal masses in pediatric patients**

Z. Stankovic<sup>1</sup>, K. Sedlecki<sup>1</sup>, I. Mazibrada<sup>1</sup>, S. Perovic<sup>1</sup>, D. Savic<sup>2</sup>

<sup>1</sup>Department of Pediatric and Adolescent Gynecology, <sup>2</sup>Department of Pediatric Surgery, Mother and Child Health Institute of Serbia, Belgrade, Serbia

**P1.3-66 Pregnancy rate and outcome in patients with turner syndrome**

E. Stergioti<sup>1</sup>, K. D. Dimopoulos<sup>1</sup>, Y. Prapas<sup>2</sup>, N. Prapas<sup>2</sup>, E. Deligeoroglou<sup>1</sup>

<sup>1</sup>2nd Department of Obstetrics and Gynecology, University of Athens, Aretaieion University Hospital, Athens, <sup>2</sup>4th Department of Obstetrics and Gynecology, Aristotle University of Thessaloniki, Thessaloniki, Greece

## P1.4 Contraception

**P1.4-67 Menstrual suppression and contraception in adolescents with developmental disabilities**

A. Amelia Zainuddin<sup>1</sup>, N. Azurah Abdul Ghani<sup>1</sup>, S. R. Grover<sup>2</sup>, Z. A. Mahdy<sup>1</sup>

<sup>1</sup>Department of Obstetrics and Gynaecology, University Kebangsaan Malaysia Medical Center, Kuala Lumpur, Malaysia, <sup>2</sup>Department of Paediatric and Adolescent Gynaecology, University of Melbourne, Royal Children's Hospital, Melbourne, Australia

**P1.4-68 Bone mineral density and hormonal contraception**

T. Csermely<sup>1</sup>

<sup>1</sup>Department Obstetrics and Gynecology, University of Pécs, Faculty of Medicine, Pécs, Hungary

**P1.4-69 Influence of contraceptive vaginal ring on the amount of vaginal lactobacilli**

M. Havlín<sup>1</sup>

<sup>1</sup>Gynecology, ADC Sanatorium, Praha, Czech Republic

**P1.4-70 Efficacy and safety of ulipristal acetate for emergency contraception in women under age 18: current data and perspective**

K. Gemzell Danielsson<sup>1</sup>, S. T. Cameron<sup>2</sup>, H. Mathé<sup>3</sup>, D. P. Levy<sup>4</sup>, A. F. Glasier<sup>5</sup>

<sup>1</sup>Dept. of Woman and Child Health, Karolinska University Hospital, Stockholm, Sweden, <sup>2</sup>Dean Terrace Centre, Royal Infirmary of Edinburgh, Edinburgh, United Kingdom, <sup>3</sup>Clinical Operations, Laboratoire HRA Pharma, <sup>4</sup>Medical Affairs, HRA pharma, Paris, France, <sup>5</sup>Family Planning & Well Woman Services, Lothian Primary Care NHS Trust, Edinburgh, United Kingdom

**P1.4-71 Sexual debut and contraception during adolescence**

D. Monteiro<sup>1</sup>, D. C. B. Sodré<sup>2</sup>, A. B. Aguiar<sup>3</sup>

<sup>1</sup>Ginecologia, Hospital Federal Cardoso Fontes, Rio de Janeiro, Brazil <sup>2</sup>Ginecologia, University College London Hospital, London, United Kingdom, <sup>3</sup>Obstetrícia, Maternidade Leila Diniz, Rio de Janeiro, Brazil

**P1.4-72 Use of contraceptive drospirinone 3 mg/ethinylestradiol 20 microg in adolescents and young adults**

D. Monteiro<sup>1</sup>, A. Aguiar<sup>2</sup>, D. Sodré<sup>3</sup>

<sup>1</sup>Ginecologia, Hospital Federal Cardoso Fontes, Rio de Janeiro, <sup>2</sup>Obstetrícia, Maternidade Leila Diniz, Rio de Janeiro, Brazil, <sup>3</sup>Ginecologia, University College London Hospital, London, United Kingdom

**P1.4-73 Contraception and hereditary angioedema.**

C. Saule<sup>1</sup>, I. Boccon-Gibbod<sup>2</sup>, D. Launay<sup>3</sup>, L. Martin<sup>4</sup>, L. Bouillet<sup>2</sup>, G. Kanny<sup>5</sup>, G. Raison<sup>6</sup>, O. Fain<sup>7</sup>, A. Gompel<sup>1</sup>

<sup>1</sup>endocrinology and gynecology, hotel dieu, Paris, <sup>2</sup>Médecine interne, hotel dieu, Grenoble, <sup>3</sup>Médecine interne, hotel dieu, Lille, <sup>4</sup>dermatology, hotel dieu, Angers, <sup>5</sup>Médecine interne, hotel dieu, Nancy, <sup>6</sup>dermatology and allergology, hotel dieu, Montpellier, <sup>7</sup>Médecine interne, hotel dieu, bondy, France

**P1.4-74 Effective contraception as a measure for preserving the reproductive potential of adolescents**

I. Tuchkina<sup>1</sup>, M. Lisova<sup>1</sup>, M. Tuchkina<sup>1</sup>, Z. Gilenko<sup>1</sup>, L. Dobrovolskaya<sup>1</sup>, S. Salogub<sup>2</sup>

<sup>1</sup>Obstetric and Gynecology No.2, Kharkov National Medical University, <sup>2</sup>Ultrasound department, Kharkov Regional Hospital, Kharkov, Ukraine

## P1.5 Mammary gland

**P1.5-75 Description of adolescent girls with multiple breast fibroadenomas and implication of prolactin and its receptor**

Z. Chakhtoura<sup>1</sup>, C. Courtillot<sup>1</sup>, M. Bidet<sup>1</sup>, F. Kuttenn<sup>1</sup>, P. Touraine<sup>1</sup>

<sup>1</sup>Endocrinologie et Médecine de la Reproduction, Pitié Salpêtrière, Paris, France

**P1.5-76 Giant juvenile fibroadenoma - case report**

L. D. Herter<sup>1</sup>, D. Gassen<sup>1</sup>, F. K. Milagre<sup>2</sup>, R. Deyl<sup>1</sup>

<sup>1</sup>Serviço de ginecologia infanto-juvenil, Hospital da criança Santo Antônio - Complexo hospitalar Santa Casa de Porto

Alegre, <sup>2</sup>Acadêmica, Faculdade de Medicina da Pontifícia Universidade Católica do Rio Grande do Sul, Porto Alegre, Brazil

**P1.5-77 A 10 years old girl with a giant fibroadenoma**

h. iraqi<sup>1</sup>, a. A. G. gaouzi\*<sup>1</sup>

<sup>1</sup> Pediatric Endocrinology Department, Rabat Children Hospital, Rabat, Morocco

**P1.5-78 Association of turner' syndrome and breast sarcoma**

N. Kallel\*<sup>1</sup>, N. Rekik<sup>1</sup>, N. Charfi<sup>1</sup>, M. Kamoun<sup>1</sup>, M. Feki<sup>1</sup>, B. Ben Naceur<sup>1</sup>, F. Marouene<sup>1</sup>, M. Abid<sup>1</sup>

<sup>1</sup>endocrinology, hedi chaker, sfax, Tunisia

**P1.5-79 Hospitalization of Brazilians girls from 0 to 19 years old due to breast malignancy registered by the sus (unique system of health) from January 2000 to December 2009.**

M. Mieli\*<sup>1</sup>, M. P. A. Mieli<sup>1</sup>, A. L. T. U. Santos<sup>1</sup>, K. Yokochi<sup>1</sup>, E. C. Baracat<sup>1</sup>

<sup>1</sup>Ginecologia, Hospital Universitário da Universidade de São Paulo, São Paulo, Brazil

**P1.5-80 Frequent ultrasonography findings in female adolescents with benign breast masses**

S. Perovic\*<sup>1</sup>, I. Mazibrada<sup>1</sup>, K. Sedlecki<sup>1</sup>, Z. Stankovic<sup>1</sup>

<sup>1</sup>Department of Pediatric and Adolescent Gynecology, Mother and Child Health Care Institute of the Republic of Serbia, Belgrade, Serbia

**P1.5-81 Pathology of the breast in children and adolescents. a consult motives.**

E. Rivas\*<sup>1</sup>, N. Rodríguez<sup>1</sup>, A. Caraballo<sup>1</sup>, N. Queipo<sup>1</sup>, F. Carrero<sup>1</sup>, M. Pérez<sup>1</sup>

<sup>1</sup>Pediatric an adolescent gynecology, Children Hospital Jos, Caracas, Venezuela

**P1.5-82 Consulting motives and diagnostics of mammary pathology, in adolescent, at the adolescent unit of clínica alemana de Santiago.**

V. Sauer\*<sup>1</sup>, A. Schilling<sup>2</sup>, O. Carrasco<sup>2</sup>

<sup>1</sup>Gynecologist Adolescent Unit, <sup>2</sup>Gynecologist Adolescent Unit, Clínica Alemana, Santiago, Chile

## P1.6 Sexually transmitted infections

**P1.6-83 Hpv and contraception in adolescence**

A. Bazarra-Fernandez\*<sup>1</sup>

<sup>1</sup>ObGyn, A Coruña University Hospital Trust, Culleredo, Spain

**P1.6-84 Alternatives in treatment of vaginal discharge in praepubertal girls**

M. Andjelic\*<sup>1</sup>, L. Stanisic<sup>2</sup>, E. Petrovic<sup>2</sup>

<sup>1</sup>Pediatric Adolescent gynecology, Special Gynecology Hospital Genesis, <sup>2</sup>Health Center, Novi Sad, Serbia

**P1.6-85 Human papillomavirus, cervical cytology and potential risk factors among greek adolescent females**

F. Bacopoulou\*<sup>1</sup>, A. Michos<sup>2</sup>, P. Karakitsos<sup>3</sup>, N. Athanasopoulos<sup>4</sup>, A. Athanasakis<sup>1</sup>, E. Stergioti<sup>4</sup>, K. Dimopoulos<sup>4</sup>, E. Deligeoroglou<sup>4</sup>, G. Chrousos<sup>1</sup>

<sup>1</sup>Center for Health and Prevention in Adolescence 1st Department of Pediatrics University of Athens, <sup>2</sup>Department of Infectious Diseases, 1st Department of Pediatrics University of Athens, Aghia Sophia Childrens Hospital, <sup>3</sup>Cytology Department University of Athens, Attikon Hospital, <sup>4</sup>Division of Pediatric and Adolescent Gynecology, 2nd Department of Obstetrics and Gynecology, University of Athens, Aretaieion Hospital, Athens, Greece

**P1.6-86 Chlamydia trachomatis infection during pregnancy in adolescent and adult women in a developing country.**

E. Balaguer\*<sup>1</sup>, A. Visconti<sup>1</sup>, A. Morales<sup>1</sup>, G. Sicco<sup>1</sup>, C. Sosa<sup>1</sup>

<sup>1</sup>Department of Obstetrics and Gynaecology, Pereira Rossell Hospital. School of Medicine, University of Uruguay, Montevideo, Uruguay

**P1.6-87 Adolescence viral infections, and breast cancer.**

A. Bazarra-Fernandez\*<sup>1</sup>

<sup>1</sup>ObGyn, A Coruña University Hospital Trust, Culleredo, Spain

**P1.6-88 High-risk hpv infection in Lithuanian young women**

Z. Bumbuliene\*<sup>1</sup>, J. Alisauskas<sup>2</sup>

<sup>1</sup>Department of Obstetrics and Gynecology, Vilnius University, Faculty of Medicine, Vilnius, Lithuania,

**P1.6-89 Unusual condyloma acuminata**

M. Cartigny-Maciejewski<sup>1</sup>, E. Aubry\*<sup>2</sup>, S. Busch<sup>3</sup>, B. Catteau<sup>3</sup>, O. Kerdrahon<sup>4</sup>, D. Turck<sup>5</sup>, A. Pambou<sup>6</sup>

<sup>1</sup>pediatric endocrine unit, <sup>2</sup>pediatric surgery unit, <sup>3</sup>pediatric dermatology unit, <sup>4</sup>anatomopathology center, <sup>5</sup>pediatric gastroenterology unit, university hospital, Lille, <sup>6</sup>pediatric endocrine unit, university hospital, Lille, France

**P1.6-90 Influence of vaginal ring on frequency of colpitis**

M. Havlín\*<sup>1</sup>

<sup>1</sup>Gynecology, ADC Sanatorium, Praha, Czech Republic

**P1.6-91 Purulent adnexitis in girls: new meaning of old symptom**

N. Kokhreizde<sup>1</sup>, G. F. Kutusheva<sup>1</sup>

<sup>1</sup>Children and Adolescent Gynecology, State Pediatric Academy, St-Petersburg, Russian Federation

**P1.6-92 Hpv and other genital infections in sexually active Greek adolescent females**

L. Michala<sup>1</sup>, A. Tsitsika<sup>2</sup>, E. Panotopoulou<sup>3</sup>, H. Tzavara<sup>2</sup>, S. Kalbeni<sup>2</sup>, S. Papaspyridakos<sup>3</sup>, E. Klapsinou<sup>3</sup>, D. Kafetzis<sup>2</sup>, A. Antsaklis<sup>1</sup>

<sup>1</sup>1st Department of Obstetrics and Gynecology, University of Athens, Alexandras Hospital, <sup>2</sup>Adolescent Health Unit, 2nd Department of Pediatrics, University of Athens, <sup>3</sup>Histopathology Department, 'Agios Savvas' Regional Hospital for Cancer treatment, Athens, Greece

**P1.6-93 Vulvar ulcerations in young patients, five cases.**

N. Parera<sup>1</sup>, O. Salas<sup>1</sup>, A. Úbeda<sup>1</sup>, M. Cusidó<sup>1</sup>, I. Rodríguez<sup>1</sup>, F. Mancini<sup>1</sup>

<sup>1</sup>Department of Obstetrics, Gynecology and Reproduction, Institut Universitari Dexeus, Barcelona, Spain

**P1.6-94 Detection and identification of vaginal microflora in young girls with vulvovaginitis**

E. Peruzzi<sup>1</sup>, S. D'Ottavio<sup>1</sup>, V. Seravalli<sup>1</sup>, P. Christopoulos<sup>2</sup>, M. Dei<sup>1</sup>, V. Bruni<sup>1</sup>

<sup>1</sup>Pediatric and Adolescent Gynaecology Unit, University of Florence, Florence, Italy, <sup>2</sup>Division of Pediatric-Adolescent Gynaecology and Reconstructive Surgery, University of Athens, Athens, Greece

**P1.6-95 Genital tract infections in sexually active adolescent girls**

V. Pyrohova<sup>1</sup>, O. Tsjolko<sup>1</sup>

<sup>1</sup>Obstetrics, gynecology and perinatology, Lviv National Medical University, Lviv, Ukraine

**P1.6-96 Involvement of some cytokines in pathogenesis of inflammatory diseases of genitals, caused by chlamydia trachomatis in young women**

O. Romashchenko<sup>1</sup>, L. Yakovenko<sup>2</sup>, A. Rudenko<sup>3</sup>, A. Romanenko<sup>4</sup>, M. Spyvak<sup>5</sup>

<sup>1</sup>Andrology and Sexology, SI Institute of Urology of the NAMS of Ukraine, <sup>2</sup>Laboratory of Molecular Mechanisms of Autoimmune Processes, Institute of Molecular Biology and Genetics of the NAS of Ukraine, <sup>3</sup>Microbiology and Virology, <sup>4</sup>Morphology, SI Institute of Urology of the NAMS of Ukraine, <sup>5</sup>Problems of Interferon, Institute of Microbiology and Virology of the NAS of Ukraine, Kyiv, Ukraine

**P1.6-97 Screening of chlamydia trachomatis genital infection in adolescent females**

K. Sedlecky<sup>1</sup>, G. Rajin<sup>1</sup>

<sup>1</sup>Family Planning Centre, Institute for Mother and Child Health Care of Serbia, Belgrade, Serbia

**P1.6-98 Secondary syphilis in a pregnant penicillin allergic adolescent – a case report**

K. Soares<sup>1</sup>, K. F. Santos<sup>1</sup>, R. P. Tavares<sup>1</sup>, H. V. Leite<sup>1</sup>

<sup>1</sup>Department of Obstetrics and Gynecology, Hospital das Clínicas, Belo Horizonte, Brazil

**P1.6-99 Sexually transmitted infections in adolescents in developed and developing countries**

K. D. Dimopoulos<sup>1</sup>, E. Deligeoroglou<sup>1</sup>, P. Tsimaris<sup>1</sup>, N. Athanasopoulos<sup>1</sup>, E. Stergioti<sup>1</sup>, G. Creatsas<sup>1</sup>

<sup>1</sup>2nd Department of Obstetrics and Gynecology, University of Athens, Aretaieion University Hospital, Athens, Greece

**P1.6-100 Frequency of occurrence, diagnosis and treatment of genital inflammation in pediatric and adolescent gynecological patients and young pregnant women**

I. Tuchkina<sup>1</sup>, M. Lisova<sup>1</sup>, L. Zobina<sup>1</sup>, G. Tisyachka<sup>1</sup>

<sup>1</sup>Obstetric and Gynecology No.2, Kharkov National Medical University, Kharkov, Ukraine

**P1.6-101 Analysis of the results of papanicolaou test in adolescents and young women**

F. Vargas<sup>1</sup>, L. L. A. Albring<sup>1</sup>, V. V. R. V. Vargas<sup>1</sup>

<sup>1</sup>Gynecology, Private clinic, Santo Angelo, Brazil

## P1.7 MRKH

**P1.7-102 Müllerian malformations: four clinical cases.**

S. Bonsergent<sup>1</sup>, G. Adriana<sup>2</sup>, M. Silvina<sup>3</sup>, M. A. Gustavo<sup>1</sup>

<sup>1</sup>Gynecology, <sup>2</sup>Imaging, Hospital Británico de Buenos Aires, Buenos Aires, <sup>3</sup>Gynecology, Hospital Británico de Buenos Aires, Buenos Aires, Argentina

**P1.7-103 Spectrum of phenotypic variations in mayer-rokitansky-kuster-hauser syndrome : a clue for genetic heterogeneity**

N. Khen-Dunlop<sup>1</sup>, A. Cheikhelard<sup>1</sup>, C. Cretolle<sup>1</sup>, E. Thibaud<sup>2</sup>, C. N. Fekete<sup>1</sup>, M. Polak<sup>2</sup>, Y.

Aigrain<sup>1</sup>

<sup>1</sup>Paediatric Surgery department, <sup>2</sup>Endocrinology and Gynecology department, AP-HP, Necker-Enfants Malades Hospital and Université Paris Descartes, Paris, France

**P1.7-104 Endometriosis in a patient with mayer-rokitansky-kuster-hauser syndrome and ano-rectal malformation. an unusual association with complex treatment.**

M. Lucchetti<sup>1</sup>, P. Marchetti<sup>2</sup>, C. Orazi<sup>3</sup>, M. Rivosecchi<sup>2</sup>

<sup>1</sup>Nephro-Urology Department, <sup>2</sup>Pediatric Surgery, <sup>3</sup>Imaging Department, Bambino Gesù Children Hospital, Rome, Italy

**P1.7-105 Do women with vaginal aplasia develop lower urinary tract symptoms after vaginal lengthening procedures?**

L. Michala<sup>1</sup>, L. Strawbridge<sup>2</sup>, R. Deans<sup>2</sup>, M. Bikoo<sup>2</sup>, A. S. Cutner<sup>2</sup>, S. M. Creighton<sup>2</sup>

<sup>1</sup>1st Department of Obstetrics and Gynecology, University of Athens, Alexandras Hospital, Athens, Greece, <sup>2</sup>UCL Institute for Women's Health, UCLH, London, United Kingdom

**P1.7-106 Case report: mayer rokitansky kuster hauser syndrom vs klippel - feil syndrom**

E. Miranda Lopez<sup>1</sup>, C. c. j. g. Jacobo<sup>1</sup>, B. b. a. v. Alvarez<sup>1</sup>

<sup>1</sup>gynecology and obstetrics, human biology reproduction, issemym ecatepec medical center, ecatepec de morelos, Mexico

**P1.7-107 Uterine malformations and mutation of hnf1 $\beta$  gene: about one case**

A. Cartault<sup>1</sup>, P. Ernout<sup>1</sup>, S. Decramer<sup>2</sup>, A. Le Mandat<sup>3</sup>, C. Pienkowski<sup>1</sup>

<sup>1</sup>Endocrinology unit, <sup>2</sup>Nephrology, <sup>3</sup>Chirurgie Infantile, Hopital des Enfants, Toulouse, France

**P1.7-108 Experience of vaginal dilation in MRKH syndrome patients in a Pediatric and Adolescent Gynaecology unit**

A. Yiu<sup>1</sup>, S. S. C. Chan<sup>2</sup>

<sup>1</sup>Obstetrics and Gynaecology, The Chinese Univeristy of Hong Kong, Prince of Wales Hospital, <sup>2</sup>Obstetrics and Gynaecology, Prince of Wales Hospital, Hong Kong, Hong Kong Special Administrative Region of China

Monday 24 May  
P2. 16:45-17:15

## P2.1 DSD

### P2.1-1 Bilateral gonadoblastoma and wt1 gene polymorphism : a case report

A. Ammini\*<sup>1</sup>, P. Philibert<sup>2</sup>, E. Marumudi<sup>1</sup>, B. Kulshreshtha<sup>3</sup>, F. Audran<sup>2</sup>, F. Paris<sup>2</sup>, M. L. Khurana<sup>1</sup>, K. Kucheria<sup>1</sup>, C. Sultan<sup>2</sup>

<sup>1</sup> Department of Endocrinology and Metabolism, All India Institute of Medical Sciences, New Delhi, India, <sup>2</sup> Pediatric endocrine Unit and Hormones Laboratory, University Hospital of Montpellier, Montpellier, <sup>3</sup> Department of Endocrinology and Metabolism, All India Institute of Medical Sciences, New Delhi, France

### P2.1-2 Medical dilemma regarding treatment options for a child with a disorder of sexual differentiation

A. Ariachery\*<sup>1</sup>, A. A. Joseph<sup>2</sup>

<sup>1</sup>Department of Endocrinology, All India Institute of Medical Sciences, Delhi, <sup>2</sup>Department of psychology, Christ University, Bangalore, India

### P2.1-3 Swyer syndrome with bilateral dysgerminoma in a girl with spontaneous onset of puberty

I. Bedei\*<sup>1</sup>, B. Unkel<sup>2</sup>, C. Vogt-Hell<sup>3</sup>

<sup>1</sup>Obstetrics and Gynaecology, <sup>2</sup>Paediatric Surgery, Klinikum Frankfurt Höchst, <sup>3</sup>Obstetrics and Gynaecology, Praxis Liebfrauenberg, Frankfurt, Germany

### P2.1-4 Sexual ambiguity on a new born : what shall we do?

I. Benabbad<sup>1</sup>, H. Ouleghzal<sup>2</sup>, A. Oulahiane<sup>1</sup>, A. Balafrej<sup>3</sup>, A. Gaouzi\*<sup>3</sup>

<sup>1</sup>Endocrinologie Diabétologie et maladies Métaboliques, CHU Ibn Sina Université Mohammed V, <sup>2</sup>Endocrinologie Diabétologie et maladies Métaboliques, Hôpital Militaire d'Instruction Mohammed V, <sup>3</sup>Pédiatrie II A, Hôpital d'Enfants de Rabat, Rabat, Morocco

### P2.1-5 Peripheral precocious puberty due to 21 hydroxylase deficiency

I. Benabbad<sup>1</sup>, H. Berrani<sup>2</sup>, A. Balafrej<sup>2</sup>, A. Gaouzi\*<sup>2</sup>

<sup>1</sup>Endocrinologie Diab. CHU Ibn Sina Université, <sup>2</sup>Pédiatrie II A, Hôpital d'Enfants de Rabat, Rabat, Morocco

### P2.1-6 Bilateral dysgerminoma in swyer syndrome: a case report

M. Conighi\*<sup>1</sup>, C. Bleve<sup>1</sup>, M. Michelini<sup>1</sup>, A. Sensi<sup>2</sup>, V. De Sanctis<sup>3</sup>, A. Franchella<sup>1</sup>

<sup>1</sup>Pediatric Surgery, <sup>2</sup>Genetics, <sup>3</sup>Pediatrics, University Hospital of Ferrara, Italy, Ferrara, Italy

### P2.1-7 Por mutation: novel cause of female disorder of sex development

N. Bourneton\*<sup>1</sup>, E. Pak-Piguet<sup>2</sup>, L. Fourcade<sup>3</sup>, V. Tardy<sup>4</sup>, Y. Morel<sup>4</sup>, A. Lienhardt-Roussie<sup>2</sup>

<sup>1</sup>Gynécologie Obstétrique, <sup>2</sup>Pédiatrie, <sup>3</sup>Chirurgie Infantile, Hôpital de la Mère et de l'Enfant, Limoges, <sup>4</sup>Laboratoire d'hormonologie, Hospices Civils de Lyon, Bron, France

### P2.1-8 Dysgerminoma and 46, xy pure gonadal dysgenesis

C. Capito\*<sup>1</sup>, A. Arnaud<sup>2</sup>, F. Hameury<sup>3</sup>, B. Fremond<sup>2</sup>, H. Lardy<sup>4</sup>, M. Leclair<sup>1</sup>, Y. Heloury<sup>5</sup>

<sup>1</sup>Pediatric Surgery, HME, CHU de Nantes, Nantes, <sup>2</sup>Pediatric Surgery, CHU de Rennes, Rennes, <sup>3</sup>Pediatric Surgery, CHU de Lyon, Lyon, <sup>4</sup>Pediatric Surgery, CHU de Tours, Tours, France, <sup>5</sup>Pediatric Surgery, Monash Children's Hospital, Melbourne, Australia

### P2.1-9 Adrenal and testicular tumors in an adolescent male with 11beta ohd deficiency: basal and follow-up investigation after 5 years

M. Chihaoui\*<sup>1</sup>, B. Ftouhi<sup>1</sup>, F. Lamine<sup>1</sup>, M. Kamoun<sup>1</sup>, F. Kanoun<sup>1</sup>, H. Slimane<sup>1</sup>

<sup>1</sup>endocrinology, university hospital la Rabta, tunis, Tunisia

### P2.1-10 Phenotype-genotype correlations in cyp11b1 mutation in 6 Tunisian cases

M. Chihaoui\*<sup>1</sup>, O. Rejeb<sup>1</sup>, M. Kamoun<sup>1</sup>, B. Ftouhi<sup>1</sup>, F. Kanoun<sup>1</sup>, F. Lamine<sup>1</sup>, Y. Morel<sup>2</sup>, H. Slimane<sup>1</sup>

<sup>1</sup>endocrinology, university hospital la Rabta, Tunis, Tunisia, <sup>2</sup>molecular biology, Lyon, France

### P2.1-11 Normal variation in measurements of female genitalia: a comparison with androgen insensitivity syndrome

N. Crouch\*<sup>1</sup>, L. Michala<sup>1</sup>, S. M. Creighton<sup>1</sup>, G. S. Conway<sup>2</sup>

<sup>1</sup>Gynaecology, <sup>2</sup>Endocrinology, EGA Institute of Women's Health, UCL Hospital, London, United Kingdom

### P2.1-12 Primary amenorrhea and dramatic osteoporosis in a 46,xy woman with a new lh receptor gene mutation

L. Gaspari\*<sup>1</sup>, A. Guffens<sup>1</sup>, S. Gaillez<sup>2</sup>, J. Foidart<sup>3</sup>, M. Nisolle<sup>3</sup>, A. Pintiaux<sup>4</sup>

<sup>1</sup>Département de Pédiatrie, CRH - Site de la Citadelle, <sup>2</sup>Département de Génétique, CHU - Sart-Tilman, <sup>3</sup>Département de

Gynécologie - Obstétrique, CRH - Site de la Citadelle, <sup>4</sup>Département de Gynécologie - Obstétrique, CHU - Sart-Tilman, Liège, Belgium

**P2.1-13 The role of laparoscopy in patients with intersex**

H. Gerzova\*<sup>1</sup>, A. Polova<sup>1</sup>

<sup>1</sup>Obstetrics and Gynaecology, University Hospital Ostrava, Ostrava, Czech Republic

**P2.1-14 Multidisciplinary team management of disorders of sex development (dsd): a 10 year Melbourne experience.**

K. Bhullar<sup>1</sup>, J. Hewitt<sup>2</sup>, G. L. Warne<sup>3</sup>, J. M. Hutson<sup>4</sup>, S. Grover\*<sup>5</sup>

<sup>1</sup>Pediatrics, <sup>2</sup>Murdoch Children's Research Institute, Royal Children's Hospital, Melbourne, <sup>3</sup>Endocrinology and Diabetes, Royal Children's Hospital, Melbourne, <sup>4</sup>Urology, <sup>5</sup>Paediatric and Adolescent Gynaecology, Royal Children's Hospital, Melbourne, Australia

**P2.1-15 Congenital adrenal hyperplasia in Vietnam: the issues confronting girls and their families and the surgical outcomes**

S. Grover\*<sup>1</sup>, D. Loan<sup>2</sup>, K. L. Armstrong<sup>3</sup>, C. Henderson<sup>4</sup>, N. Hoan<sup>2</sup>, N. Liem<sup>5</sup>, G. L. Warne<sup>6</sup>

<sup>1</sup>Paediatric and Adolescent Gynaecology, Royal Children's Hospital, Melbourne, Australia, <sup>2</sup>Paediatrics, National Hospital of Pediatrics, Ha Noi, Viet Nam, <sup>3</sup>Founder, Caring and Living As Neighbours, Sydney, Australia, <sup>4</sup>Diabetes Centre, NHS Fife, Fife, United Kingdom, <sup>5</sup>Pediatric Surgery, National Hospital of Pediatrics, Ha Noi, Viet Nam, <sup>6</sup>RCH International, Royal Children's Hospital, Melbourne, Australia

**P2.1-16 Emotional/affective dynamics and feelings about xy dsd conditions - about patients raised as girls, treated at a single institution**

K. Gueniche\*<sup>1</sup>, E. Thibaud<sup>2</sup>, M. Jacquot<sup>3</sup>, M. Polak<sup>4</sup>

<sup>1</sup>Pediatric endocrinology and gynecology and LPCP EA 4056, Hopital Necker Enfants Malades, Université Paris Descartes, <sup>2</sup>Pediatric endocrinology and gynecology, Hopital Necker enfants malades <sup>3</sup>LPCP EA 4056, Université Paris Descartes, <sup>4</sup>Pediatric endocrinology and gynecology, Hopital Necker Enfants Malades, Université Paris Descartes, Paris, France

**P2.1-17 Puberty induction in a girl with frasier syndrome - a challenge?**

E. Hammer\*<sup>1</sup>, M. J. Kemper<sup>2</sup>

<sup>1</sup>Pediatrics, Children's Hospital Wilhelmstift, <sup>2</sup>Pediatrics, Children's University Hospital, Hamburg, Germany

**P2.1-18 Orientation du sexe dans les anomalies du développement sexuel xy**

N. Iraqi<sup>1</sup>, A. A. Gaouzi\*<sup>2</sup>

<sup>1</sup>Endocrinologie Diabétologie et nutrition, CHU, <sup>2</sup>Endocrinologie pédiatrique, HER, Rabat, Morocco

**P2.1-19 Case study: adolescent with 46,xy-dsd with 17-alpha-hydroxylase-deficiency raised as a girl**

A. Kleinemeier\*<sup>1</sup>, E. Kleinemeier<sup>2</sup>, P. M. Holterhus<sup>3</sup>

<sup>1</sup>Gynecology and Obstetrics, Medical Office, Hamburg, <sup>2</sup>Department of Children and Adolescent Medicine, University Hospital Schleswig-Holstein, Luebeck, <sup>3</sup>Department of Pediatrics, Division of Pediatric Endocrinology and Diabetes, Christian-Albrechts-University, Kiel, Germany

**P2.1-20 Prepubertal dysgerminoma in a xy girl with a new mutation of the sry gene**

O. Maillot\*<sup>1</sup>, N. Kalfa<sup>1</sup>, N. Servat<sup>2</sup>, M. Ribotton<sup>3</sup>, P. Philibert<sup>2</sup>, F. Paris<sup>3</sup>, R. B. Galifer<sup>4</sup>, C. Sultan<sup>3</sup>

<sup>1</sup>Service Hormonologie. Service de Chirurgie viscérale et urologie pédiatrique, <sup>2</sup>Service Hormonologie, <sup>3</sup>Service Hormonologie. Unité d'Endocrinologie pédiatrique, <sup>4</sup>Service de chirurgie viscérale et urologie pédiatrique, Hôpital Lapeyronie, Montpellier, France

**P2.1-21 Primary amenorrhea in adolescents girls may reveal 5 alpha-reductase deficiency. report of four gene mutations**

L. Maimoun\*<sup>1</sup>, P. Philibert<sup>1</sup>, G. Öcal<sup>2</sup>, P. Bouchard<sup>3</sup>, B. Leheup<sup>4</sup>, P. Fenichel<sup>5</sup>, C. Sultan<sup>6</sup>

<sup>1</sup>Service d'Hormonologie and UMI, Hopital Lapeyronie, CHU Montpellier, Montpellier, France, <sup>2</sup>Division of Pediatric Endocrinology, Department of Pediatrics, Ankara University Faculty of Medicine, Ankara, Turkey, <sup>3</sup>Service d'Endocrinologie, Hôpital Saint Antoine, Paris, <sup>4</sup>Médecine Infantile, Hôpital d'Enfants, CHU de Nancy, Vandoeuvre Les Nancy, <sup>5</sup>Service de Pédiatrie, Hôpital l'Archet, Nice, <sup>6</sup>Service d'Hormonologie and UMI and Unité d'Endocrinologie Pédiatrique, Hopital Lapeyronie and Hopital Arnaud de Villeneuve CHU de Montpellier, Montpellier, France

**P2.1-22 Sex-reversion, turner syndrome and dyschondrosteosis due to yp deletion removing both sry and shox genes**

I. Marchand\*<sup>1</sup>, P. Bougnères<sup>1</sup>, G. Quenum<sup>2</sup>, C. Bouvattier<sup>1</sup>

<sup>1</sup>pediatric endocrinology, St Vincent de Paul, <sup>2</sup>Genetics, Necker, Paris, France

**P2.1-23 Examination of the external genitalia in neonates: do we always pay proper attention?**

P. Marchetti\*<sup>1</sup>, M. m. c. Lucchetti<sup>2</sup>, C. c. Orazi<sup>3</sup>, M. m. Rivosecchi<sup>4</sup>

<sup>1</sup>pediatric surgery unit, bambino gesu children's hospital, passoscuro, <sup>2</sup>androgological and gynecological surgery unit, dpt. of nephrology-urology, rome, <sup>3</sup>imaging departement, radiology, <sup>4</sup>dpt. pediatric surgery, pediatric surgery unit, Palidoro, Italy

**P2.1-24 Correlation of phenotype with genotype in cah patients**

E. Marumudi<sup>1</sup>, B. Kulshreshtha<sup>1</sup>, A. Sharma<sup>2</sup>, R. Khadgawat<sup>1</sup>, M. L. Khurana<sup>1</sup>, A. C. Ammini<sup>1</sup>  
<sup>1</sup>Department of Endocrinology and Metabolism, <sup>2</sup>Department of Anatomy, All India Institute of Medical Sciences, New Delhi, India

**P2.1-25 The congenital adrenal hyperplasia : about 57 cases.**

K. Mesnaoui<sup>1</sup>, G. G. Touiti<sup>2</sup>, F. F. Jennane<sup>3</sup>, H. H. Sbai<sup>4</sup>, F. F. Dehbi<sup>5</sup>, Y. Y. Morel<sup>6</sup>, V. V. Tardy<sup>6</sup>  
<sup>1</sup>Maroc, Hôpital d'enfants CH IBN Rochd, Casablanca, <sup>2</sup>MAROC, Hopital d'enfants CH IBN Rochd, <sup>3</sup>Maroc, hopital d'enfants CH IBN ROCHD, <sup>4</sup>MAROC, Hoipital d'Enfants CH IBN Rochd, Casablanca, <sup>5</sup>Maroc, faculté de medecine Casablanca, Morocco, <sup>6</sup>France, Hopital Debrousse, Lyon, France

**P2.1-26 46 xy disorders of sex development**

H. Mongia<sup>1</sup>, B. Maalej<sup>1</sup>, F. Kamoun<sup>1</sup>, M. Kamoun<sup>2</sup>, M. Mni<sup>2</sup>, S. Chouchane<sup>3</sup>, M. Abid<sup>2</sup>, J. Chahed<sup>4</sup>, A. Saad<sup>5</sup>, N. Gueddiche<sup>3</sup>, A. Nouri<sup>6</sup>, T. Kamoun<sup>7</sup>

<sup>1</sup>service de pédiatrie, <sup>2</sup>service endocrinologie, hopital hédi chaker, Sfax-Tunisie, <sup>3</sup>service de pédiatrie, <sup>4</sup>service chirurgie pédiatrique, Hopital Fattouma Bourguiba Monastir, Monastir-Tunisie, <sup>5</sup>Laboratoire cytogénétique, Hopital Farhat Hached Sousse, Sousse-Tunisie, <sup>6</sup>service chirurgie pédiatrique, Hopital Fattouma Bourguiba, Monastir, <sup>7</sup>service pédiatrie, hopital Hédi Chaker, Sfax, Tunisia

**P2.1-27 Clinical approach to a 17betahsd3 deficit diagnosed at puberty**

A. Di Lascio<sup>1</sup>, E. Grechi<sup>1</sup>, M. Ferrario<sup>1</sup>, R. Fischetto<sup>2</sup>, G. Russo<sup>1</sup>

<sup>1</sup>Pediatric Endocrinologic Unit, San Raffaele Hospital, Milan, <sup>2</sup>Pediatric Metabolic Diseases – Medical Genetics Unit, Policlinico, Bari, Italy

**P2.1-28 The importance of early 5alfa-reductase deficiency diagnosis**

A. Di Lascio<sup>1</sup>, E. Grechi<sup>1</sup>, M. Ferrario<sup>1</sup>, G. Russo<sup>1</sup>

<sup>1</sup>Pediatric Endocrinologic Unit, San Raffaele Hospital, Milan, Italy

**P2.1-29 Congenital lipoid adrenal hyperplasia, about one case**

G. Touiti<sup>1</sup>, F. F. Jennane<sup>2</sup>, H. H. S. Sidai<sup>3</sup>, Y. Y. M. Morel<sup>4</sup>, v. V. T. Tardy<sup>5</sup>

<sup>1</sup>Maroc, hôpital d'enfants CHU Ibn Rochd Casablanca, <sup>2</sup>Maroc, Hôpital d'enfants CHU ibn Rochd Casablanca, Casablanca, <sup>3</sup>Maroc, Hôpital d'enfants CHU ibn Rochd Casablanca, Morocco, <sup>4</sup>France, Hôpital Debrousse, <sup>5</sup>France, Hopital Debrousse, Lyon, France

**P2.1-30 5- alpha reductase deficiency type 2 , about 2 cases**

G. Touiti<sup>1</sup>, A. Zaidani<sup>2</sup>, F. Jennane<sup>2</sup>, H. Sibai<sup>3</sup>, Y. Morel<sup>4</sup>

<sup>1</sup>Maroc, hôpital d'enfants chu ibn Rochd Casablanca, <sup>2</sup>Maroc, Hôpital d'enfants chu ibn Rochd Casablanca, <sup>3</sup>Maroc, hôpital d'enfants chu Ibn Rochd Casablanca, Casablanca, Morocco, <sup>4</sup>France, Hôpital Debrousse, Lyon, France

**P2.1-31 45x/46xy mixed gonadal dysgenesis with gonadoblastoma and intertubular germ cell neoplasm**

A. Yiu<sup>1</sup>, S. S. C. Chan<sup>2</sup>, M. Yu<sup>3</sup>

<sup>1</sup>Obstetrics and Gynaecology, The Chinese University of Hong Kong, Prince of Wales Hospital, <sup>2</sup>Obstetrics and Gynaecology, <sup>3</sup>Anatomical and Cellular Pathology, Prince of Wales Hospital, Hong Kong, Hong Kong Special Administrative Region of China

## P2.2 Puberty and endocrine disorders

**P2.2-32 Forecasting method of menstrual function restoration in adolescent girls with anorexia nervosa.**

V. Andreeva<sup>1</sup>, A. A. Mashtalova<sup>1</sup>, A. A. Andreyev<sup>1</sup>

<sup>1</sup>Obstetrics and gynecology, Rostov Scientific Research Institute of Obstetrics and Pediatrics, Rostov-on-Don, Russian Federation

**P2.2-33 Bone mineral density in adolescents with menstrual and eating disorders**

F. Bacopoulou<sup>1</sup>, E. A. Gounari<sup>1</sup>, E. Deligeoroglou<sup>2</sup>, C. Bakoula<sup>1</sup>, G. Chrousos<sup>1</sup>

<sup>1</sup>Center for Health and Prevention in Adolescence 1st Department of Pediatrics University of Athens, Aghia Sophia Childrens Hospital Athens Greece, <sup>2</sup>Division of Pediatric and Adolescent Gynecology, 2nd Department of Obstetrics and Gynecology, University of Athens Aretaieion Hospital, Athens, Greece

**P2.2-34 Sotos syndrome with precocious puberty, genital hypertrophy and hyperandrogenism**

I. Bedei<sup>1</sup>, I. Mayer<sup>2</sup>

<sup>1</sup>Obstetrics and Gynaecology, Klinikum Frankfurt Höchst, <sup>2</sup>Paediatric Endocrinology, Praxis Dr. Hartmann, Frankfurt, Germany

**P2.2-35 Polycystic ovarian syndrome in a 13 year old girl with growth restriction and premature pubarche**

I. Bedei<sup>1</sup>, I. Mayer<sup>2</sup>

<sup>1</sup>Obstetrics and Gynaecology, Klinikum Frankfurt Höchst, <sup>2</sup>Paediatric Endocrinology, Praxis Dr. Hartmann, Frankfurt, Germany

**P2.2-36 Growth and puberty in the coeliac disease of the child**

M. Bessahraoui<sup>1</sup>, k. Bouziane Nedjadi<sup>1</sup>, S. Niar<sup>1</sup>, M. Naceur<sup>1</sup>, G. Boudraa<sup>1</sup>, M. Touhami<sup>1</sup>

<sup>1</sup>Service de Pédiatrie CHU, CHU Oran, Oran, Algeria

**P2.2-37 Pubertal advancement enhances endothelial function in adolescent girls**

A. Bhangoo<sup>1</sup>, S. Sinha<sup>2</sup>, O. Lazareva<sup>2</sup>, M. Rosenbaum<sup>3</sup>, S. Ten<sup>2</sup>

<sup>1</sup>Pediatric Endocrinology, State University of New York, Downstate, <sup>2</sup>Pediatric Endocrinology, Maimonides Infants & Children Hospital, Brooklyn, <sup>3</sup>Pediatric Endocrinology, Columbia University, New York, United States

**P2.2-38 Cyclic elevation of acth and cortisol associated with glucocorticoid receptor gene (nr3c1) variations**

S. Ghanny<sup>1</sup>, P. Philibert<sup>2</sup>, D. Tan<sup>3</sup>, A. Bhangoo<sup>1</sup>, C. Stratakis<sup>4</sup>, C. Sultan<sup>2</sup>, F. Lacbawan<sup>3</sup>, S. Ten<sup>1</sup>

<sup>1</sup>Pediatric Endocrinology, State University of New York, Downstate, Brooklyn, United States, <sup>2</sup>Service d'Hormonologie and Unité d'Endocrinologie Pédiatrique, CHU de Montpellier, Montpellier, France, <sup>3</sup>Molecular Pathology Department, State University of New York, Downstate, Brooklyn, <sup>4</sup>Pediatric Endocrinology, National Institute of Health, Bethesda, United States

**P2.2-39 Irregular menstrual cycle in adolescence as a mark for risk of metabolic syndrome**

I. bouzas<sup>1</sup>, C. C. Braga<sup>1</sup>, L. Leao<sup>1</sup>, D. Rodeiro<sup>1</sup>

<sup>1</sup>nucleo de estudo da saude do adolescxcnte NESAs, Uerj, Rio de Janeiro, Brazil

**P2.2-40 Non-alcoholic fatty liver disease in lean adolescent women with polycystic ovary syndrome**

E. Oztas<sup>1</sup>, S. Cengiz<sup>1</sup>, G. Caglar<sup>1</sup>, D. Karadag<sup>2</sup>, E. Yuce<sup>1</sup>, R. Pabuccu<sup>1</sup>

<sup>1</sup>Department of Obstetrics and Gynecology, <sup>2</sup>Department of Radiology, University of Ufuk, Ankara, Turkey

**P2.2-41 Pco-like syndrome in female adolescent elite swimmers**

O. Coste<sup>1</sup>, F. Paris<sup>2</sup>, F. Galtier<sup>3</sup>, F. Letois<sup>4</sup>, B. Crastes de Paulet<sup>5</sup>, L. Maimoun<sup>5</sup>, C. Sultan<sup>2</sup>

<sup>1</sup>Service d'Hormonologie and UMI, Hopital Lapeyronie, CHU Montpellier and Direction Régionale et Départementale de la Jeunesse et des, <sup>2</sup>Service d'Hormonologie and UMI and Unité d'Endocrinologie Pédiatrique, Hopital Lapeyronie and Hopital Arnaud de Villeneuve CHU de Montpellier, <sup>3</sup>Centre d'Investigation Clinique, Hopital St Eloi, CHU Montpellier, <sup>4</sup>Département de l'Information Médicale, <sup>5</sup>Service d'Hormonologie and UMI, Hopital Lapeyronie, CHU Montpellier, Montpellier, France

**P2.2-42 Croissance séculaire et âge de la ménarche chez la femme de lima métropolitaine, Pérou**

J. Falen<sup>1</sup>, C. C. Delaguila<sup>1</sup>, A. A. Barrientos<sup>1</sup>, V. V. Lizarzaburu<sup>1</sup>, E. E. Lescano<sup>1</sup>, G. G. Jimenez<sup>1</sup>, O. O. Huaman<sup>1</sup>

<sup>1</sup>Servicio de Endocrinología Pediátrica, Instituto Nacional de Salud del Niño, Lima, Peru

**P2.2-43 The ttt repeats polymorphism of aromatase (cyp19) gene do not correlate with the pubarche development in caucasian health girls**

L. Gaspari<sup>1</sup>, F. Massart<sup>1</sup>, F. Marini<sup>2</sup>, M. Brandi<sup>2</sup>, G. Saggese<sup>1</sup>

<sup>1</sup>Pediatric Endocrine Center, University of Pisa, Pisa, <sup>2</sup>Department of Internal Medicine, University of Florence, Florence, Italy

**P2.2-44 Pseudoprecocious puberty due to autonomous ovarian cysts: a long term follow up**

M. Gryngarten<sup>1</sup>, E. Boulgourdjian<sup>2</sup>, A. Arcari<sup>2</sup>, S. Costagliola<sup>3</sup>, M. Escobar<sup>2</sup>

<sup>1</sup>Endocrinology Division, Ricardo Gutierrez, <sup>2</sup>Endocrinology Division, Ricardo Guti, Buenos Aires, Argentina, <sup>3</sup>Genetic, Institut de Recherche interdisciplinaire and Department of Medical genetics, Bruxelles, Belgium

**P2.2-45 A familial case of perrault syndrome**

M. Houang<sup>1</sup>, D. Doummar<sup>2</sup>, S. Marlin<sup>3</sup>

<sup>1</sup>Explorations Fonctionnelles Endocriniennes, Centre de référence des maladies endocriniennes rares de la croissance, Armand Trousseau AP-HP, <sup>2</sup>service de neurologie, Armand Trousseau, <sup>3</sup>Unité de génétique, Centre de référence des surdités de l'enfant, Armand Trousseau, Paris, France

**P2.2-46 The significance of hormonal tests in female patients at the developmental age of hirsutism**

G. Jarzabek-Bielecka<sup>1</sup>

<sup>1</sup>Gynecology, University of Medicine, Poznan, Poland

**P2.2-47 Familial hypogonadotropic hypogonadism**

S. Grine<sup>1</sup>, F. Mnif<sup>1</sup>, N. Rezik<sup>1</sup>, M. Kamoun<sup>1</sup>, M. Hachicha<sup>2</sup>, T. Kammoun<sup>2</sup>, H. Kammoun<sup>3</sup>, M. Abid<sup>1</sup>

<sup>1</sup>endocrinology, <sup>2</sup>pediatric, hedi chaker, <sup>3</sup>genetic, faculty of medecine, sfax, Tunisia

**P2.2-48 Polycystic ovary syndrome in adolescence**

M. Jmal<sup>1</sup>, N. Charfi<sup>1</sup>, M. Mnif<sup>1</sup>, M. Kamoun<sup>1</sup>, N. Hamza<sup>1</sup>, B. Ben Naceur<sup>1</sup>, M. Elleuch<sup>1</sup>, M. Abid<sup>1</sup>

<sup>1</sup>endocrinology, hedi chaker, sfax, Tunisia

**P2.2-49 Spontaneous ovarian overstimulation syndrome in a girl at onset of puberty.**

B. Lebon LabichlCH\*<sup>1</sup>, A. Ranke<sup>2</sup>, J. Lemelle<sup>2</sup>, M. Schmitt<sup>2</sup>, B. Leheup<sup>1</sup>

<sup>1</sup>Medecine Infantile 3, <sup>2</sup>Service de Chirurgie Viscérale Infantile, Hopital d'Enfants CHU de Nancy, Vandoeuvre les nancy, France

**P2.2-50 Obesity related lipid profile and altered insulin incretion in adolescent with pcsos**

R. Magnini\*<sup>1</sup>, A. Fulghesu<sup>1</sup>, A. Daga<sup>1</sup>, L. Congiu<sup>1</sup>, S. Spiga<sup>1</sup>, E. Canu<sup>1</sup>

<sup>1</sup>Department of Obstetrics and Gynecology, University of Cagliari, san giovanni di dio, cagliari, Italy

**P2.2-51 Functional hypothalamic amenorrhoea in adolescents. is too much stress to blame?**

L. Michala\*<sup>1</sup>, M. Sotiropoulou<sup>1</sup>, I. Michopoulos<sup>2</sup>, P. Drakakis<sup>1</sup>, A. Antsaklis<sup>1</sup>

<sup>1</sup>1st Department of Obstetrics and Gynecology, University of Athens, Alexandras Hospital, <sup>2</sup>Psychiatry Department, Aeginition Hospital, Athens, Greece

**P2.2-52 Dietary and exercise habits among overweight adolescents with pcsos**

M. Eleftheriadou<sup>1</sup>, L. Michala\*<sup>1</sup>, A. Lykeridou<sup>2</sup>, G. Troupis<sup>3</sup>, K. Stefanidis<sup>1</sup>, A. Antsaklis<sup>1</sup>

<sup>1</sup>1st Department of Obstetrics and Gynecology, University of Athens, Alexandras Hospital, <sup>2</sup>Midwifery, Technical Institute of Athens, <sup>3</sup>Department of Anatomy, University of Athens, Alexandras Hospital, Athens, Greece

**P2.2-53 Induction of amenorrhea in adolescents with neuropsychomotor development déficit.**

M. Mieli\*<sup>1</sup>, M. P. A. Mieli<sup>1</sup>, N. C. Facioli<sup>1</sup>, E. C. Baracat<sup>1</sup>

<sup>1</sup>Ginecologia, Hospital Universitário, São Paulo, Brazil

**P2.2-54 Female athlete triad in adolescent girls**

I. Mitsakis\*<sup>1</sup>, M. Mitsakis<sup>2</sup>, K. Sianou<sup>3</sup>, C. Papadopoulou<sup>4</sup>, E. Mitsakis<sup>5</sup>, R. Hainoglou<sup>6</sup>

<sup>1</sup>2nd Obstetrical-Gynaecological Clinic, Hippokration General Hospital of Aristotle University of Thessaloniki, <sup>2</sup>School of Medicine, Aristotle University of Thessaloniki, Thessaloniki, Greece, <sup>3</sup>Leadership and Management in Health Postgraduate Department, Kingston University, London, United Kingdom, <sup>4</sup>Department of Physical Education and Sports Science, Aristotle University of Thessaloniki, Serres, <sup>5</sup>School of Midwifery, <sup>6</sup>Cathedra of Anatomy, Alexander Technological Educational Institute of Thessaloniki, Sindos, Greece

**P2.2-55 Treatment of precocious puberty with lhrh agonist**

H. Mongia\*<sup>1</sup>, F. Safi<sup>2</sup>, H. Aloulou<sup>2</sup>, I. Ben Mansour<sup>2</sup>, T. Kamoun<sup>3</sup>

<sup>1</sup>service de pédiatrie, hopital hédi chaker, Sfax, <sup>2</sup>service pédiatrie, hopital hédi chaker, Sfax-Tunisie, <sup>3</sup>service pédiatrie, hopital hédi chaker, Sfax, Tunisia

**P2.2-56 GnRH analogs and body composition**

T. Ortiz\*<sup>1</sup>, M. M. Coll<sup>1</sup>, H. H. Posso<sup>1</sup>

<sup>1</sup>Cundinamarca, Hospital Militar Central- Hospital de la Misericordia, Bogota, Colombia

**P2.2-57 Virilisation signs in young girl: in 1st think to a corticosurrenaloma**

S. Caula-Legriel\*<sup>1</sup>, A. Cartault<sup>1</sup>, S. Mouttalib<sup>2</sup>, A. Bertozzi<sup>3</sup>, C. Pienkowski<sup>1</sup>

<sup>1</sup>Endocrinology unit, <sup>2</sup>Chirurgie Infantile, <sup>3</sup>Hemato-cancerology, Hopital des Enfants, Toulouse, France

**P2.2-58 An anorexia nervosa in an atypical somatic context**

M. Podlipski\*<sup>1</sup>, F. Philippe<sup>2</sup>, S. Fisson<sup>2</sup>, C. Gayet<sup>2</sup>, P. Gerardin<sup>3</sup>, E. Mallet<sup>2</sup>

<sup>1</sup>Pédiatrie-Pédopsychiatrie, CHU de Rouen, <sup>2</sup>Pédiatrie, <sup>3</sup>Pédiatrie-Pédopsychiatrie, CHU Rouen, Rouen, France

**P2.2-59 Inflammatory markers in first degree relatives of women with polycystic ovarian syndrome**

N. Raissouni\*<sup>1</sup>, A. Hudder<sup>2</sup>, D. Geller<sup>3</sup>, O. Galescu<sup>4</sup>, A. Bhangoo<sup>5</sup>, S. Ten<sup>6</sup>

<sup>1</sup>Pediatric Endocrinology, SUNY Downstate medical Center and Infant's and Children's Hospital of Maimonides, Brooklyn, New York, <sup>2</sup>Institute of Environmental Health Sciences, Wayne State University, Detroit, Michigan, <sup>3</sup>Pediatric Endocrinology, University of California, Los Angeles, <sup>4</sup>Pediatric Endocrinology, Infant's and Children's Hospital of Maimonides, Brooklyn, <sup>5</sup>Pediatric Endocrinology, SUNY Downstate Medical Center and Infant's and Children's Hospital of Maimonides, Brooklyn, <sup>6</sup>Pediatric Endocrinology, SUNY Downstate Medical Center, Infant's and Children's Hospital of Maimonides, Brooklyn, New York, United States

**P2.2-60 Ovulatory and metabolic benefits with the addition of d-chiro-inositol to the treatment of polycystic ovarian syndrome: comparison between lean and obese adolescents.**

N. Raissouni\*<sup>1</sup>, O. Galescu<sup>1</sup>, S. Khetarpal<sup>1</sup>, A. Bhangoo<sup>1</sup>, S. Ten<sup>1</sup>

<sup>1</sup>Pediatric Endocrinology, SUNY Dowstate medical Center and Infant's and Children's Hospital of Maimonides, Brooklyn, New York, United States

**P2.2-61 Phenotypic characterization of lean and obese adolescents with polycystic ovarian syndrome**

N. Raissouni\*<sup>1</sup>, k. Forrester<sup>2</sup>, O. Galescu<sup>1</sup>, A. Bhangoo<sup>1</sup>, S. Ten<sup>1</sup>, A. Suss<sup>2</sup>

<sup>1</sup>Pediatric Endocrinology, SUNY Dowstate medical Center and Infant's and Children's Hospital of Maimonides, Brooklyn,

<sup>2</sup>Adolescent Medecine, SUNY Dowstate medical center ,Brooklyn, New York, United States

**P2.2-62 The melatonin decrease is associated to precocious puberty: a pilot study**

F. S. de Holanda<sup>1</sup>, J. Soares-Jr<sup>\*1</sup>, S. Tufik<sup>2</sup>, M. Bignotto<sup>2</sup>, C. G. Maganhin<sup>1</sup>, L. H. L. Vieira<sup>1</sup>, E. C. Baracat<sup>1</sup>

<sup>1</sup>Gynecology, <sup>2</sup>Psicobiologia, Federal University of São Paulo, São Paulo, Brazil

**P2.2-63 Screening of obesity, overweight and thinness in Italian children and adolescents**

S. Triunfo<sup>\*1</sup>, P. p. r. Rosati<sup>1</sup>, I. I. g. Guariglia<sup>1</sup>, g. g. s. Scambia<sup>1</sup>

<sup>1</sup>Department of Obstetrics and Gynecology, Catholic University of Sacred Heart, Rome, Italy

**P2.2-64 Differences in the therapeutic results of antiandrogenic agents in adolescents with polycystic ovarian syndrome: a retrospective review of patients with long term follow up.**

P. Tsimaris<sup>\*1</sup>, E. Deligeoroglou<sup>1</sup>, N. Athanasopoulos<sup>1</sup>, K. D. Dimopoulos<sup>1</sup>, E. Stergioti<sup>1</sup>, G. Creatsas<sup>1</sup>

<sup>1</sup>Division of Pediatric-Adolescent Gynecology and Reconstructive Surgery, 2nd Department of Obstetrics and Gynecology, Athens University, Medical School, Aretaieion Hospital, Athens, Greece

**P2.2-65 Feminizing adrenocortical adenoma in a 6 year old girl**

V. Vautier<sup>\*1</sup>, F. Lavrand<sup>2</sup>, P. Barat<sup>1</sup>

<sup>1</sup>Children s University Hospital, Pediatric Endocrine and Diabetes Unit, <sup>2</sup>Children s University Hospital, Service de Chirurgie Pédiatrique, Bordeaux, France

**P2.2-66 Thyroïdite de hashimoto chez l'enfant**

S. Zoubir<sup>\*1</sup>, M. Bouhamidi<sup>2</sup>, R. Abdi<sup>2</sup>, A. Chalabi-Benabdallah<sup>2</sup>

<sup>1</sup>Médecine, CHU Oran, <sup>2</sup>, CHU, Oran, Algeria

## P2.3 Surgery

**P2.3-67 Removal of vaginal septa without suture using biclamp**

R. Antonietta<sup>\*1</sup>, A. Zanni<sup>1</sup>, S. Malmusi<sup>1</sup>, G. Ghiradini<sup>1</sup>

<sup>1</sup>Obstetrics gynecology, Sassuolo, Italy

**P2.3-68 The analysis of the structure congenital malformations of the heart in newborns.**

M. Appasova<sup>\*1</sup>

<sup>1</sup>Department of Pediatrics, Kazakh National Medical University, Almaty, Kazakhstan

**P2.3-69 Juvenile granulosa tumor: expanding the spectrum of germinal p53 mutation related tumors**

B. Brasseur<sup>\*1</sup>, P. Jadoul<sup>2</sup>, B. Brichard<sup>3</sup>

<sup>1</sup>Pediatric Endocrinology and Medical Genetics, Clinique Saint-Pierre and Cliniques Universitaires Saint-Luc, Ottignies and Brussels, <sup>2</sup>Gynecology, <sup>3</sup>Pediatric Hematology and Oncology, Cliniques Universitaires Saint-Luc, Brussels, Belgium

**P2.3-70 Normal pelvic sonography findings of patients seen at pediatric and adolescent gynecology unit of Philippine children's medical center: six years experience**

M. Butaran<sup>\*1</sup>, C. Y. Almirante<sup>1</sup>

<sup>1</sup>Pediatric and Adolescent Gynecology, Philippine Children's Medical Center, Quezon City, Philippines

**P2.3-71 Girls mccune albright syndrome: is there a place for early unilateral ovariectomy?**

C. Capito<sup>\*1</sup>, D. Samara-Boustani<sup>2</sup>, G. Pinto<sup>2</sup>, E. Thibaud<sup>2</sup>, M. Polak<sup>3</sup>, S. Sarnacki<sup>4</sup>

<sup>1</sup>Pediatric Surgery, <sup>2</sup>Pediatric endocrinology, Centre des maladies gynécologiques rares, Necker Enfants Malades, AP-HP, <sup>3</sup>Pediatric endocrinology, Centre des maladies gynécologiques rares, <sup>4</sup>pediatric surgery, Necker Enfants Malades, AP-HP, Université Paris Descartes, Paris, France

**P2.3-72 Sigmoidovaginoplasty in mayer-rokitanski-kuster-hauser syndrome : a safe procedure ?**

A. Cheikhelard<sup>\*1</sup>, N. Khen-Dunlop<sup>2</sup>, E. Thibaud<sup>3</sup>, C. Duflos<sup>3</sup>, C. Nihoul-Fékété<sup>2</sup>, M. Polak<sup>4</sup>, Y. Aigrain<sup>2</sup>

<sup>1</sup>Pediatric Surgery and Urology, AP-HP Hôpital Necker Enfants-Malades - Centre de Référence des Pathologies Gynécologiques Rares, <sup>2</sup>Pediatric Surgery and Urology, AP-HP Hôpital Necker Enfants-Malades Université Paris Descartes, <sup>3</sup>Pediatric Endocrinology and Gynecology, AP-HP Hôpital Necker Enfants-malades - Centre de Référence des Pathologies Gynécologiques Rares, <sup>4</sup>Pediatric Endocrinology and Gynecology, AP-HP Hôpital Necker Enfants-Malades Université Paris Descartes, Paris, France

**P2.3-73 Referral patterns of well women seeking cosmetic labial reduction surgery**

N. Crouch<sup>\*1</sup>, R. Deans<sup>2</sup>, L. Liao<sup>2</sup>, R. Hasan<sup>2</sup>, S. M. Creighton<sup>2</sup>

<sup>1</sup>Gynaecology, EGA Institute of Women's Health, UCL Hospital, <sup>2</sup>Gynaecology, EGA Institute of Women's Health, UCL Hospital, London, United Kingdom

**P2.3-74 Successful operation of a patient with isolated cervical and partial vaginal agenesis**

T. Csermely\*<sup>1</sup>, J. Bódis<sup>1</sup>, L. Halvax<sup>1</sup>

<sup>1</sup>Department Obstetrics and Gynecology, University of Pécs, Faculty of Medicine, Pécs, Hungary

**P2.3-75 Clitoral cysts presenting as clitoromegaly**

R. Deans\*<sup>1</sup>, S. M. Creighton<sup>1</sup>

<sup>1</sup>Institute of women's health, University College Hospital London, London, United Kingdom

**P2.3-76 Septal advancement as surgical treatment for transverse vaginal septum**

J. Dimaano-De Torres\*<sup>1</sup>, C. C. Y. A. Yabes-Almirante<sup>1</sup>, F. F. A. Atencio<sup>1</sup>

<sup>1</sup>Section of Pediatric and Adolescent Gynecology, Philippine Children's Medical Center, Quezon City, Philippines

**P2.3-77 Ovarian morphology in the early gynecological life: the ultrasound study**

A. Fulghesu\*<sup>1</sup>, R. Magnini<sup>1</sup>, A. Daga<sup>1</sup>, A. Orru<sup>1</sup>, M. Pisu<sup>1</sup>, L. Congiu<sup>1</sup>

<sup>1</sup>Department of Obstetrics and Gynecology, University of Cagliari, san giovanni di dio, cagliari, Italy

**P2.3-78 Asynchronous bilateral ovarian torsion: three cases, three lessons.**

M. Lucchetti\*<sup>1</sup>, A. Lais<sup>1</sup>, M. L. Capitanucci<sup>1</sup>, C. Orazi<sup>2</sup>, P. Caione<sup>1</sup>

<sup>1</sup>Nephro-Urology Department, <sup>2</sup>Imaging Department, Bambino Gesù Children Hospital, Rome, Italy

**P2.3-79 Normal adnexal torsion in children and adolescents: for a prompt diagnosis.**

M. Masmoudi\*<sup>1</sup>, M. P. Guibal<sup>1</sup>, N. Kalfa<sup>1</sup>, F. Paris<sup>2</sup>, D. Forgues<sup>1</sup>, E. Sabatier-Laval<sup>1</sup>, C. Sultan<sup>2</sup>, R. B. Galifer<sup>1</sup>

<sup>1</sup>Service de chirurgie viscérale pédiatrique, <sup>2</sup>Laboratoire Hormonologie du développement et de la reproduction, CHU Montpellier, Montpellier, France

**P2.3-80 Laparoscopy for treatment of salpingo-oophoritis in a teenager.**

M. Mieli\*<sup>1</sup>, M. P. A. Mieli<sup>1</sup>, N. C. Facioli<sup>1</sup>, U. Tannuri<sup>2</sup>, E. C. Baracat<sup>1</sup>

<sup>1</sup>Ginecologia, Hospital Universitário da Universidade de São Paulo, <sup>2</sup>Instituto da Criança, Hospital das Clínicas da Universidade de São Paulo, São Paulo, Brazil

**P2.3-81 Case report of less invasive surgery using intercede (oxidized regenerated cellulose) for vaginoplasty in mayer-rokitansky-kusterhauser syndrome**

T. Nagata\*<sup>1</sup>, H. H. S. Sakakibara<sup>1</sup>, A. A. K. Kawano<sup>1</sup>, T. T. M. Mikami<sup>2</sup>, F. F. H. Hirahara<sup>1</sup>

<sup>1</sup>Obstetric and Gynecology, <sup>2</sup>Plastic Surgery, Yokohama City University, Yokohama, Japan

**P2.3-82 Uterus didelphys with duplicated upper vagina and bilateral lower vaginal agenesis: an unusual müllerian anomaly.**

C. Orazi\*<sup>1</sup>, M. Lucchetti<sup>2</sup>, P. Marchetti<sup>2</sup>, G. Ciprandi<sup>2</sup>, M. Rivosecchi<sup>2</sup>

<sup>1</sup>Imaging Department, <sup>2</sup>Pediatric Surgery, Bambino Gesù Children Hospital, Rome, Italy

**P2.3-83 Rhabdomyosarcoma. Cases in 10 years.**

M. Perez\*<sup>1</sup>, J. L. Natera<sup>1</sup>, A. M. Perez<sup>1</sup>, R. Ortega<sup>1</sup>

<sup>1</sup>Ginecología, Children Hospital J.M. de los Ríos, Caracas, Venezuela

**P2.3-84 Vaginal calculus in a 6-year-old girl: a case report.**

M. Perez\*<sup>1</sup>, J. L. Natera<sup>1</sup>, A. M. Perez<sup>1</sup>, R. Ortega<sup>1</sup>

<sup>1</sup>Ginecolog, Children Hosiptal J.M. de los R, Caracas, Venezuela

**P2.3-85 Vulvovaginal reconstructive surgery in patients with disorders of sexual ovotesticular differentiation**

M. Perez\*<sup>1</sup>, M. Escobar<sup>2</sup>, J. L. Natera<sup>2</sup>, A. Nieto<sup>2</sup>

<sup>1</sup>Gynecology, <sup>2</sup>Ginecología, Hosptal Dr. Domingo Luciani, Caracas, Venezuela

**P2.3-86 Repermeation of vagina after chemo-and radiotherapy-induced stenosis**

A. Ranke\*<sup>1</sup>, B. Lebon-Labich<sup>2</sup>, J. Lemelle<sup>1</sup>

<sup>1</sup>Chirurgie Pédiatrique, <sup>2</sup>Endocrinologie Pédiatrique, Hôpital d'Enfants, Vandoeuvre-lès-Nancy, France

**P2.3-87 A rare case of vaginal abscess of müllerian ducts in adolescence.**

K. D. Dimopoulos\*<sup>1</sup>, E. Stergioti<sup>1</sup>, P. Tsimaris<sup>1</sup>, N. Athanasopoulos<sup>1</sup>, E. Kairi-Vassilatou<sup>2</sup>, E. Deligeoroglou<sup>1</sup>

<sup>1</sup>2nd Department of Obstetrics and Gynecology, University of Athens, <sup>2</sup>Pathology Laboratory, University of Athens, Aretaieion University Hospital, Athens, Greece

**P2.3-88 Children urethral prolapse in a southern Chinese hospital**

I. sun\*<sup>1</sup>

<sup>1</sup>Pediatric and Adolescent Gynecology, The Childrens Hospital Zhejiang University School of Medicine, HangZhou, China

**P2.3-89 The rehabilitation after laparoscopic treatment of adolescent with ovarian endometrioid cysts.**

U. Tabuica\*<sup>1</sup>, L. Stavinskaia<sup>2</sup>

<sup>1</sup>Obstetrics and Gynecology, Medical State University, Chisinau, Moldova Republic

**P2.3-90 Symptomless fallopian tube torsion in a young girl**

G. Tridenti\*<sup>1</sup>, G. Ciarlini<sup>1</sup>, V. Bruni<sup>2</sup>, G. B. La Sala<sup>1</sup>

<sup>1</sup>Obstetrics and Gynaecology, Santa Maria Nuova Hospital, Reggio Emilia, <sup>2</sup>Obstetrics and Gynaecology, University of Florence, Florence, Italy

**P2.3-91 Septate uterus with obstructed hemivagina and ipsilateral renal agenesis in a young woman: case report**

G. Tridenti<sup>1</sup>, C. C. Bertellini<sup>1</sup>, V. Bruni<sup>2</sup>, G. B. La Sala<sup>1</sup>

<sup>1</sup>Obstetrics and Gynaecology, Santa Maria Nuova Hospital, Reggio Emilia, <sup>2</sup>Obstetrics and Gynaecology, University of Florence, Florence, Italy

**P2.3-92 Unusual and late recurrence of ovarian sex cord tumor**

V. Vautier<sup>1</sup>, F. Lavrand<sup>2</sup>, P. Barat<sup>3</sup>, Y. Perel<sup>4</sup>

<sup>1</sup>Children s University Hospital, Pediatric Endocrine and Diabetes Unit, <sup>2</sup>Children s University Hospital, Service de Chirurgie Pédiatrique, <sup>3</sup>Children s University Hospital, Service d'Endocrinologie et de Diabétologie Pédiatrique, <sup>4</sup>Children s University Hospital, Service d'Hématologie et d'Oncologie Pédiatrique, Bordeaux, France

**P2.3-93 Ovarian cysts in adolescent: clinical and surgical management**

N. Zampieri<sup>1</sup>, F. Camoglio<sup>1</sup>, C. Zamboni<sup>2</sup>, F. Borruto<sup>3</sup>

<sup>1</sup>Department of Anesthetic and Surgical Sciences, Policlinico G.B.Rossi-University of Verona, <sup>2</sup>Department of Obstetrics and Gynecology, Civile Maggiore Hospital-, <sup>3</sup>Department of Obstetrics & Gynaecology and Genetic Biology, Policlinico G.B.Rossi-University of Verona, Verona, Italy

## P2.4 Gestation

**P2.4-94 Positive impact in the change of epidemiologic indicator for adolescent pregnancy in the state of são paulo– brazil**

A. D. Takiuti<sup>1</sup>, M. L. A. Monteleone<sup>1</sup>, L. S. Fernandes<sup>1</sup>, C. Abduch<sup>1</sup>, A. F. Junior<sup>1</sup>, S. D. T. A. Moraes<sup>1</sup>

<sup>1</sup>Adolescent Gynecology, Adolescent Program of the State of Sao Paulo, Sao Paulo, Brazil

**P2.4-95 Maternal and child development outcomes of teenage mothers enrolled in the teenage pregnancy program in a tertiary hospital**

M. De la Vega<sup>1</sup>, E. C. Cuisia-Cruz<sup>2</sup>

<sup>1</sup>Adolescent Medicine, Philippine Children's Medical Center, Quezon City, Philippines, <sup>2</sup>

**P2.4-96 St. Mary's home: evaluation of a unique Canadian community outreach program providing obstetrical care for pregnant adolescents.**

N. Fleming<sup>1</sup>, T. Dumont<sup>1</sup>, A. Y. Black<sup>1</sup>

<sup>1</sup>Obstetrics and Gynecology, University of Ottawa, Ottawa, Canada

**P2.4-97 Artificial abortion in adolescents in republic of macedonia-epidemiological data**

S. Georgieva Janevska<sup>1</sup>, I. Risteska<sup>1</sup>, D. Ivanova<sup>1</sup>, R. Janeva<sup>1</sup>

<sup>1</sup>Department for adolescent gynecology, Medical Faculty Skopje Clinic of Gynecology and Obstetrics, Skopje, The former Yugoslav Republic of Macedonia

**P2.4-98 Adolescent pregnancy: caused judged by mothers with adolescent daughters and/or sons**

X. Luengo-Charath<sup>1</sup>, T. Millán-Klüsse<sup>2</sup>, A. Zepeda<sup>3</sup>, J. Herreros<sup>4</sup>

<sup>1</sup>Instituto Chileno de Medicina Reproductiva, CEMERA- Facultad de Medicina, Universidad de Chile, <sup>2</sup>Pediatría y Cirugía Infantil Occidente, Facultad de Medicina, Universidad de Chile, <sup>3</sup>Instituto Chileno de Medicina Reproductiva, ICMER, <sup>4</sup>Consultora, Herreros, Blanco y Asociados, Santiago, Chile

**P2.4-99 Adolescent pregnancy from the pediatric and adolescent gynecologist's perspective: a 3-year experience**

T. Mallen<sup>1</sup>, C. Y. Almirante<sup>1</sup>

<sup>1</sup>Pediatric and Adolescent Gynecology, Philippine Children's Medical Center, Quezon City, Philippines

**P2.4-100 Pregnancy in adolescence: always unwanted?**

C. Meneses<sup>1</sup>, C. Lopes<sup>2</sup>

<sup>1</sup>NESA, HUPE - UERJ, <sup>2</sup>IMS, UERJ, Rio de Janeiro, Brazil

**P2.4-101 Maternal and perinatal morbidity and mortality in the adolescent pregnancy, compared with women in reproductive age between 25 y 50 years old.**

E. Miranda Lopez<sup>1</sup>, S. s. s. Sanchez<sup>2</sup>, C. c. m. h. Mera<sup>2</sup>, M. m. a. c. Crespo<sup>2</sup>, J. j. g. I. Rosales<sup>2</sup>

<sup>1</sup>gynecology and obstetrics, human biology reproduction, ISEM Hospital Regional Las Americas, <sup>2</sup>gynecology and obstetrics, human biology reproduction, ISEM Las Americas, ecatepec de morelos, Mexico

**P2.4-102 Pregnancy and teenager**

D. Leautier<sup>1</sup>, C. Guitard<sup>1</sup>, I. Bargele<sup>1</sup>, M. Davasse<sup>1</sup>, S. Peyre<sup>1</sup>, M. Gourdin Coquerel<sup>1</sup>, A. Pruniaux<sup>1</sup>, C. Pienkowski<sup>2</sup>

<sup>1</sup>Service de PMI Conseil Général, 1 BD de la Marquette, <sup>2</sup>Unit, Hopital des Enfants, Toulouse, France

**P2.4-103 Teenage pregnancy outcomes in colombia**

J. Reina<sup>1</sup>, L. E. Bravo<sup>1</sup>

<sup>1</sup>Pediatrics, Universidad del Valle, Cali, Colombia

**P2.4-104 Type of delivery and live newborns birth conditions of adolescent and young adult mothers**

I. Souza\*<sup>1</sup>, P. P. S. Speggorin<sup>1</sup>

<sup>1</sup>Saude materno infantil, University of South of Santa Catarina - UNISUL, Florianopolis, Brazil

**P2.4-105 Adolescent pregnancies in greece, a tertiary hospital experience; 10 years experience at the university hospital of larissa.**

E. Stergioti<sup>1</sup>, A. Daponte<sup>1</sup>, K. D. Dimopoulos\*<sup>1</sup>, M. Syka<sup>1</sup>, H. Skentou<sup>1</sup>, I. E. Messinis<sup>1</sup>

<sup>1</sup>Ob-Gyn, University Hospital of Larissa, Larissa, Greece

**P2.4-106 Unsafe abortions in adolescents in developed and developing countries**

K. D. Dimopoulos\*<sup>1</sup>, E. Deligeoroglou<sup>1</sup>, P. Tsimaris<sup>1</sup>, N. Athanasopoulos<sup>1</sup>, E. Stergioti<sup>1</sup>, G. Creatsas<sup>1</sup>

<sup>1</sup>2nd Department of Obstetrics and Gynecology, University of Athens, Aretaieion University Hospital, Athens, Greece

**P2.4-107 The epidemic of pediatric and adolescent pregnancies in a greek race**

C. Tsompos\*<sup>1</sup>

<sup>1</sup>Obstetrics & Gynecology, Mesologi County Hospital, Mesologi, Greece